



ORTECH[®]

Electric Fireplace 2015



VERSION 2

Why Choose Electric?

Electric fireplaces are an ideal alternative to gas or wood burning fireplaces. They are **cost effective**, easily moved, and safe as the glass will not get hot enough to cause burns. They are **better for the environment**; they do not emit any harmful emissions, and they use very little electricity. Electric fireplaces are **easy to install** and require little to no maintenance compared to traditional wood or gas versions. They fit new construction and remodel applications, and are an **efficient source of heat**. The various designs allow for creative freedom and make a statement in any room in the home/office/cabin or any location of your choosing.

ORTECH's Wall Mount fireplaces feature contemporary designs with various colors. The wall mount models have a heater and a fan and are illuminated with incandescent lights (unless specified). The heat vents from the bottom, and can operate with or without the heat option for year-round enjoyment. Variable heat and flame settings come standard, with controls on the fireplace, and a remote for convenient operation.

ORTECH's Flush Mount fireplace is a hybrid of insert and wall mount. It is recessed into the wall with on minor protrusion. It is illuminated with LEDs and comes with a heater and a fan. The heat vents from the front and it can operate with or without the heat option for year round enjoyment. Controls are included on the fireplace and a remote is included for convenient operation. Black Glass surrounds the unit and river rock and clear glass media is included.

ORTECH's Built-in Insert fireplaces have a heater and a fan and are illuminated with incandescent lights (unless specified). It has variable heat and flame, vents from the grille and it can operate with or without the heat option. Controls are easily accessible on the fireplace and a remote is included for convenient operation.

Electric Fireplace INDEX

OD-100G / OD-100G-WH	4
OD-100D / OD-100SS	5
OD-240 / OD-240WH	6
OD-N18 / OD-37	7
OD-58 / OD-58D / OD-58WH	8
OD33-2000M / OD39-2000M / BLT-999A-1-3	9
OD23-52A	10
OD-B50LED	11




Electric Fireplace



OD-100G



- Wall mount fireplace
- Black glass
- Remote control
- Voltage: 110V/60Hz
- 15-20m² heating area
- Heating Power: Up to 4600 BTU



OD-100G-WH



- Wall mount fireplace
- White glass
- Remote control
- Voltage: 110V/60Hz
- 15-20m² heating area
- Heating Power: Up to 4600 BTU



Electric Fireplace



OD-100D





- Wall mount fireplace
- MDF mantle material
- Remote control
- AC 110-120V/60Hz
- 15-20m² heating area
- Heating Power: Up to 4600 BTU



OD-100SS



- Wall mount fireplace
- Cold-rolled steel
- Remote control
- Voltage: 110V/60Hz
- 15-20m² heating area
- Heating Power: Up to 4600 BTU



Electric Fireplace



OD-240





- Wall mount fireplace
- Black glass
- Remote control
- Voltage: 110V/60Hz
- 15-20m² heating area
- Heating Power: Up to 4600 BTU



OD-240WH



- Wall mount fireplace
- White glass
- Remote control
- Voltage: 110V/60Hz
- 15-20m² heating area
- Heating Power: Up to 4600 BTU




Electric Fireplace



OD-N18




- Wall mount fireplace
- Cold-rolled steel
- Remote control
- Voltage: 110V/60Hz
- 15-20m² heating area
- Heating Power: Up to 4600 BTU



OD-37



- Wall mounted fireplace
- Curved black glass
- Remote control
- Voltage: 110V/60Hz
- 15-20m² heating area
- Heating Power: Up to 4600 BTU



Electric Fireplace

OD-58



- Wall mounted fireplace
- Black glass
- Remote control
- Voltage: 110V/60Hz
- 15-20m² heating area
- Heating Power: Up to 4600 BTU



OD-58D





- Wall mounted fireplace
- MDF mantle material
- Remote control
- Voltage: 110V/60Hz
- 15-20m² heating area
- Heating Power: Up to 4600 BTU



OD-58WH



- Wall mounted fireplace
- White glass
- Remote control
- Voltage: 110V/60Hz
- 15-20m² heating area
- Heating Power: Up to 4600 BTU





Electric Fireplace



OD33-2000M




- Insert fireplace
- Cold iron
- Remote control
- Voltage: 110V/60Hz
- 15-20m² heating area
- Heating Power: Up to 5120 BTU



OD39-2000M



- Insert fireplace
- Cold iron
- Remote control
- Voltage: 110V/60Hz
- 15-20m² heating area
- Heating Power: Up to 5120 BTU



BLT-999A-1-3



- Insert fireplace
- Cold iron
- Remote control
- AC 110-120V/60Hz
- 16-20m² heating area
- Heating Power: Up to 5100 BTU



Electric Fireplace

OD23-52A



- Flush mount fireplace
- Illuminated with LEDs
- Black glass
- River rock and clear glass media included
- Remote control
- Voltage: 120V/60Hz
- 15-20m² heating area
- Heating Power: Up to 4770 BTU


ILLUMINATED
WITH LED



River rock



Clear glass



ORTECH

Electric Fireplace



ILLUMINATED
WITH LED

NEW


OD-B50LED



- 50" built-in electric fireplace
- LED light source flame technology
- Black glass
- Remote control included
- Flame Bed: Clear Crystals, Rock Media and Log options
- Features 10 color options
- Voltage 120V/60 Hz
- 15-20m² heating area
- Heater power: 750/1500W



Colour Options:





ORTECH

www.ortechindustries.com