



OPEN

Compute Project

Open edge chassis

Revision 1.2

Author: Tomi Männikkö, Nokia

1 License (OCP CLA Option)

Contributions to this Specification are made under the terms and conditions set forth in **Open Compute Project Contribution License Agreement (“OCP CLA”) (“Contribution License”)** by:
Nokia Solutions and Networks OY

You can review the signed copies of the applicable Contributor License(s) for this Specification on the OCP website at <http://www.opencompute.org/products/specsanddesign>

Usage of this Specification is governed by the terms and conditions set forth in **Open Compute Project Hardware License – Permissive (“OCPHL Permissive”), (“Specification License”)**.

You can review the applicable Specification License(s) executed by the above referenced contributors to this Specification on the OCP website at <http://www.opencompute.org/participate/legal-documents/>

NOTWITHSTANDING THE FOREGOING LICENSES, THIS SPECIFICATION IS PROVIDED BY OCP "AS IS" AND OCP EXPRESSLY DISCLAIMS ANY WARRANTIES (EXPRESS, IMPLIED, OR OTHERWISE), INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY, NON-INFRINGEMENT, FITNESS FOR A PARTICULAR PURPOSE, OR TITLE, RELATED TO THE SPECIFICATION. NOTICE IS HEREBY GIVEN, THAT OTHER RIGHTS NOT GRANTED AS SET FORTH ABOVE, INCLUDING WITHOUT LIMITATION, RIGHTS OF THIRD PARTIES WHO DID NOT EXECUTE THE ABOVE LICENSES, MAY BE IMPLICATED BY THE IMPLEMENTATION OF OR COMPLIANCE WITH THIS SPECIFICATION. OCP IS NOT RESPONSIBLE FOR IDENTIFYING RIGHTS FOR WHICH A LICENSE MAY BE REQUIRED IN ORDER TO IMPLEMENT THIS SPECIFICATION. THE ENTIRE RISK AS TO IMPLEMENTING OR OTHERWISE USING THE SPECIFICATION IS ASSUMED BY YOU. IN NO EVENT WILL OCP BE LIABLE TO YOU FOR ANY MONETARY DAMAGES WITH RESPECT TO ANY CLAIMS RELATED TO, OR ARISING OUT OF YOUR USE OF THIS SPECIFICATION, INCLUDING BUT NOT LIMITED TO ANY LIABILITY FOR LOST PROFITS OR ANY CONSEQUENTIAL, INCIDENTAL, INDIRECT, SPECIAL OR PUNITIVE DAMAGES OF ANY CHARACTER FROM ANY CAUSES OF ACTION OF ANY KIND WITH RESPECT TO THIS SPECIFICATION, WHETHER BASED ON BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE), OR OTHERWISE, AND EVEN IF OCP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Revision history

Revision	Editor	Description
V0.1 (Sep 18, 2018)	T. Männikkö	First draft
V1.0 (Dec 11, 2018)	T. Männikkö	Typo corrections Update to sled mechanics: 4.2 Update to signal descriptions: 4.3.2, 5.1.2, 6.4
V1.1 (Feb 17, 2018)	T.	Clarifications following workshop feedback: Power Supplies: 5.1 Air Flow Direction: 7.2 Key Environmental and Regulatory Specifications, 8
V1.2 (Feb 20, 2018)	T. Männikkö	Clarify BBU: 4.3 Add PSU SKU: Table 1, 5.1

Contents

1	License (OCP CLA Option)	2
2	Overview	5
3	Rack Compatibility	7
4	Chassis Specifications	8
4.1	Chassis mechanics	9
4.2	Sled mechanics.....	12
4.3	Chassis backplane.....	15
4.3.1	Backplane power connector	16
4.3.2	Backplane signal connector.....	16
4.4	Backplane guide pin	19
4.5	Chassis power distribution board	20
5	Power feed.....	21
5.1	Power supplies.....	21
5.1.1	PSU dimensions	21
5.1.2	PSU mating connector on power backplane	22
5.2	Sled backplane power feed specifications	24
5.3	Grounding	25
6	Chassis HW management.....	26
6.1	Sled HW management.....	26
6.2	PSU HW management	27
6.3	RMC mechanics.....	27
6.4	RMC connector interface	28
7	Cooling.....	32
7.1	Thermal design considerations for sled	32
7.2	Air flow direction.....	33
8	Environmental and regulatory specifications.....	34

2 Overview

This document describes the technical specifications of the Open edge server chassis. Open edge server is a compact, high-performance server platform optimized for installation to edge sites, where facilities are limited in floor space, cooling capacity and power feed capacity.

Main features of the Open edge server chassis

- 3RU high enclosure, Depth 430 mm
- compatible with standard 19" mechanics
- support for 1U or 2U, half width sleds
- Redundant power feed, AC or DC
- Air flow direction configurable from front to rear or rear to front
- Chassis management controller, RMC

The key requirements guiding the design of Open edge chassis and sled hardware are listed below

Edge site requirements

- Limited floor space (-> small form factor)
- Varying thermal conditions (-> extended temperature range)
- Limited power feed capacity (-> system scalability from one chassis to multiple racks)
- Varying types of power feed (-> DC, AC, 3-phase, 1-phase with PDUs)
- VRAN/ MEC accelerator capability (-> support for FHHL/FHFL up to 400/700 W power per sled)

OCP design principles

- Centralized power feed
- Front access
- Tool-less maintenance
- Vanity free design

An Open edge chassis supports up to 5 1RU, half width sleds that can have various of functions, for example servers, gateways, JBODs etc. Also, 2RU sleds are supported. Chassis management (sleds, PSUs) is done in a centralized manner through a rack management controller unit (RMC) via backplane. Another function of the backplane is to feed power to the sleds, via the power distribution board.

The Open edge chassis is shown in Figure 1. All operations are done at the front side of the chassis. All units (PSUs, RMC, sleds) are inserted and removed from the front. All interfaces are also in the front.

Figure 2 illustrates 1U and 2U server sleds.




Figure 1 Open edge server chassis




Figure 2 Open edge server sleds, 1U (left) and 2U (right)

3 Rack Compatibility

The Open edge chassis is compatible with standard 19" four-post racks (EIA-310). The chassis occupies 3 rack units (RU). The practical minimum depth for a rack is 600 mm.

Installation is done using a shelf. An adjustable shelf solution supports installation to racks having various depths. The distance between rack's front and rear posts can vary in the range of 450 mm to 750 mm.

The Open edge chassis has front cabling, requiring 100 to 150 mm of space in front side of the rack. Depending on the site installation requirements, front posts of rack may need be recessed accordingly.




Figure 3 Open edge chassis installed in 19" rack frame using an adjustable shelf

4 Chassis Specifications

The key specifications of Open edge chassis and sleds are shown in Table 1.

Table 1 Key specifications of Open edge chassis

Technical specifications	
Form factor	3U, 19" rackmount
Server sled bays	Possible server configurations <ul style="list-style-type: none"> • 5 x 1U sled • 1 x 2U sled + 3 x 1U sled • 2 x 2U sled + 1 x 1U sled
Power supply	Dual, high efficiency, 1+1 redundant, hot-plug PSUs. Available PSU options <ul style="list-style-type: none"> • 230 VAC, 80+ platinum <ul style="list-style-type: none"> ○ operating voltage range 180 VAC...264 VAC, output power 2000 W, ○ operating voltage range 90 VAC...140 VAC, output power 1000 W ○ Bel Power PET2000-12-074xA (x denotes airflow direction) • -48 VDC, 80+ platinum <ul style="list-style-type: none"> ○ operating voltage range -40...-72 VDC, output power 2000 W ○ Bel Power PET2000-12-074xD (x denotes airflow direction)
Sled power feed capacity	400 W max (1U sled), 700 W max (2U sled)
Cooling	Autonomous fan units on sleds and PSUs, reversible air flow
HW management (RMC)	Integrated HW management controller (AST2520) supporting <ul style="list-style-type: none"> • Ethernet interface for chassis management <ul style="list-style-type: none"> ○ 2 x 10 Gbit/s (SFP+) and 1 x 1 Gbit/s (RJ45) front panel interfaces for uplinks or chaining multiple chassis ○ 1 Gbit/s management Ethernet interface to RMC and all sleds via backplane • USB serial port for debug • Redfish, IPMI
Operating conditions	Chassis, PSUs, RMC: <ul style="list-style-type: none"> • Operating temperature range: -5 C ...+45 C [ETSI EN300 019-1-3 Class 3.2] • Short term operating temperature: -5 C to +55 C [GR-63-CORE] • Non-operating temperature *): -25 C to +70 C • Operating humidity: 5 % to 95 % • Non-operating humidity *): 10 % to 100 % • System startup temperature: min +5 C *) Non-operating means conditions during transportation and storage (device is in its transportation package)
Weight	9.2 kg (empty chassis)
Dimensions	440 mm x 130.55 mm x 430 (W x H x D)

The block diagram of Open edge chassis is shown in Figure 4. Figure 4 Block diagram of Open edge chassis. Power supplies (PSUs) connect to the system through a power distribution board.




Figure 5 Open edge chassis with power distribution board and backplane

The Open edge chassis supports two types of sleds, 1U and 2U. One 2U sled can be installed in place of two 1U sleds in the upper locations. 1U sleds in the top row have support brackets on the inner sides of the chassis. When a 2U sled is installed, the support brackets are removed. Removal and installation is tool-less. Removal is illustrated in Figure 6.




Figure 6 Removal of support brackets of uppermost 1U sleds

The supported combinations of 1U and 2U sleds in an Open edge chassis are shown in Figure 7, Figure 8, Figure 9 and Figure 10. Physical addresses for the sled locations is also shown.




Figure 7 Open edge chassis with five 1U sleds



Figure 8 Open edge chassis with three 1U sleds and one 2U sled, option 1



Figure 9 Open edge chassis with three 1U sleds and one 2U sled, option 2




Figure 10 Open edge chassis with one 1U sled and two 2U sleds

For an empty 1U slot in the chassis, a filler sled is used. The purpose of the filler sled is to act as an EMI shield, serve as an air blocker for the server sled below and to provide protection against fire spread.

4.2 Sled mechanics

The sled consists of a sheet metal tray with a handle, and the release latch mechanism. Other key aspects of the sled design are location of backplane connectors (Figure 11), vertical positioning of the circuit board and release latch (Figure 12) and the latch design overall (Figure 13).

It is critical from the point of view of system interoperability that these details are implemented according to the mechanical specifications of the sled. In other respects, the tray can be designed mechanically to meet other product requirements, such as location of circuit board support pillars, fixing points for sub-assemblies or front panel design.

The front panel of the sled shall provide the necessary EMC shielding.




Figure 11 Open edge sled connector locations

Table 3 Outer dimensions of the Open edge sled

	Dimension, max
Height	41 mm (1U), 83.55 mm (2U)
Width	215 mm
Depth	427.5 mm




Figure 12 Vertical displacement of PCB and release latch tongues




Figure 13 Sled release latch

The sides of the sled slots in the chassis have guide pins. The purpose of the guide pins is to keep the sled horizontal during insertion and removal of sled, see Figure 14. The left and right edges of the sled base lean against the guide pins.




Figure 14 Sled guide pins shown with arrows

Due to the guide pins, the height of the sled edge (at its rear end) is limited to 29.25 mm. Also, the edge should be even, without any cut-outs. This area, 220 mm in length, is shown in Figure 15. The height of the sled at the front panel line shall be 41 mm to provide the necessary EMC shielding. Within the distance of 30.55 mm from the front panel towards the rear of sled, the height of sled edge can be up to 41 mm.

In the middle area, marked by A, the height of the sled edge may be less than 29.25 mm. This area may have cut-outs, if required by the design.




Figure 15 Sled side profile

4.3 Chassis backplane

The Open edge chassis backplane provides power feed to the sleds and signalling between the sleds and RMC. There is one power connector and one signal connector for interfacing each sled. Sled 1 has an extra power connector for possible future use. A BBU is a planned use for this connector but is currently only reserved.

The backplane connects directly to the power distribution board via AirMax power and signal connectors. The board has 8 layers for power delivery. Thickness of copper is 70 μm / 2 Oz.




Figure 16 3U backplane connector placement

STACKUP									
					Target Z (ohms) - MicroStrip	50			
					Target Z (ohms) - StripLine	50	Breakout:		
					Z tolerance	±10% <th colspan="3"></th>			
					Z Type	Single	Single		
Layer#	Material	Description	Copper Weight (oz)	Thickness (mil)	Tolerance (mil)	Glass Fabric	Er	Width	Width
		Soldermask		0.60			3.8		
1		TOP	0.5+plating	1.95				4.5	4
	IT-170GRA1	PP		2.70	±0.709	1080x1	3.8		
2		GND	2 (RTF)	2.60					
	IT-170GRA1	CORE		4.00	±0.709	106x2	3.8		
3		IN1	2 (RTF)	2.60				5	4
	IT-170GRA1	PP		14.25	±1.97	2116x3	3.9		
4		VEC0	2 (RTF)	2.60					
	IT-170GRA1	CORE		28.00	±2.52	7628x4	4.1		
5		VEC1	2 (RTF)	2.60					
	IT-170GRA1	PP		14.25	±1.97	2116x3	3.9		
6		IN2	2 (RTF)	2.60				5	4
	IT-170GRA1	CORE		4.00	±0.709	106x2	3.8		
7		GND1	2 (RTF)	2.60					
	IT-170GRA1	PP		2.70	±0.709	1080x1	3.8		
8		BOTTOM	0.5+plating	1.95				4.5	4
		Soldermask		0.60			3.8		
		Total		90.60	±10%				

Table 4 PCB stack up of 3U backplane board

4.3.1 Backplane power connector

The chassis backplane will distribute +12 V power to the sleds. Power feed capacity is 400 W for a 1U sled and 700 W for a 2U sled. Power is fed through HCI High Power connector (FCI 10078768-001LHLF, or equivalent) having current capacity of 85 A.

The corresponding power connector on the sled is FCI 10078770-002LHLF, or equivalent.




Figure 17 Backplane power connector (HCI) with board layout

Table 5 Pin assignment of backplane power connector

Pin	Signal name	Description
1-18	P12V_PSU	+12 VDC power feed to sled
19-36	GND	Ground, +12 VDC return

4.3.2 Backplane signal connector

The signal connector between backplane and sled is a 6 x 9 pin AirMax VS2 connector (FCI 10130665-102LF, or equivalent). The corresponding signal connector on the sled is FCI 10124149-102LF, or equivalent. The backplane connector is shown in Figure 18.




Figure 18 Backplane signal connector with pin map

Table 6 Pin assignment of backplane signal connector (connector for sled 1 shown)

GND (sled only)	NC	GND (sled only)	NC	GND (sled only)	NC	J
PD_SLED1_PRSN_T_RETURN	GND	NC	GND	LAN_SLED1_MDIN3	GND	I
PD_BBU_A0	SMB_SLED_BUF_SDA	PD_SLED1_CHASSIS_INTRUSION	FM_BMC_SLED1_READY_N	LAN_SLED1_MDIP3	LAN_SLED1_MDIN2	H
GND	SMB_SLED_BUF_SCL	GND	FM_RMC_GPIO_2	GND	LAN_SLED1_MDIP2	G
FM_BBU_PRSN_T_N	GND	NC	GND	NC	GND	F
SMB_BBU_ALERT_R_N	NC	NC	FM_RMC_GPIO_1	SB_SLED1_ADDR_2	LAN_SLED1_MDIN1	E
GND	NC	GND	FM_RMC_GPIO_0	GND	LAN_SLED1_MDIP1	D
SMB_PMBUS_BBU_SDA	GND	NC	GND	SB_SLED1_ADDR_1	GND	C
SMB_PMBUS_BBU_SCL	NC	NC	FM_SLED1_PRSN_T_N	SB_SLED1_ADDR_0	LAN_SLED1_MDIN0	B
GND	P3V3_SLED1	GND	IRQ_RMC_ALERT_N	GND	LAN_SLED1_MDIPO	A
6	5	4	3	2	1	

Table 7 Backplane signal connector descriptions (signal direction I/O/bidir from backplane perspective)

Signal	Type	Description
SB_SLED1_ADDR_[2..0]	Output	Physical address from backplane to sled. The signal has 4K7 pull-up to P3V3_SLED1 or 1K pull-down to GND on backplane board. P3V3_SLED1 is fed to the backplane board by sled baseboard.
LAN_SLED1_MDIP[3..0] LAN_SLED1_MDIN[3..0]	Bidir	1000BASE-T between RMC and sled. Magnetics are required on sled baseboard.
FM_RMC_GPIO_[2:0]	Output	General purpose I/O signals driven by RMC to all sled baseboards. LVTTTL/LVCMOS. The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board. The input circuit design on sled shall prevent leakage current flow from RMC, e.g. during sled hot plug. GPIO[2:0] are used to indicate the status and air flow direction of PSUs to sleds according to the following table: 000: PSU1 not present, PSU0 front to rear (F-R) 001: PSU1 not present, PSU0 rear to front (R-F) 010: PSU0 not present, PSU1 F-R 011: PSU0 not present, PSU1 R-F 100: PSU0 /1 present, PSU0 /1 F-R 101: PSU0 /1 present, PSU0 /1 R-F 110: PSU0 /1 present, PSU0 F-R, PSU1 R-F 111: PSU0 /1 present, PSU0 R-F, PSU1 F-R

FM_BMC_SLED1_READY_N	Input/ OD	<p>BMC status signal from sled to RMC. Active low. Open drain.</p> <p>The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.</p> <p>The output circuit design on sled shall prevent leakage current flow from RMC, e.g. during sled hot plug.</p>
FM_SLED1_PRSENT_N	Input	<p>Sled presence status. Active low.</p> <p>The signal is used to inform RMC whether a sled is present in a slot.</p> <p>The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.</p>
PD_SLED1_PRSENT_RETURN	Output	<p>Return signal for FM_SLED1_PRSENT_N.</p> <p>Connects to ground on backplane board, pulling FM_SLED1_PRSENT_N (or FM_BBU_PRSENT_N) low when sled is inserted to chassis.</p>
IRQ_RMC_ALERT_N	Output/ OD	<p>Alert signal from RMC to sleds (common to all sleds). Active low. Open drain.</p> <p>The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.</p> <p>The purpose of the signal is to provide means to alert sleds e.g. in case of PSU failure or low input voltage.</p>
PD_SLED1_CHASSIS_INTRUSION	Output	<p>Signal used to detect removal of sled. Active high.</p> <p>Connects to GND in backplane.</p> <p>The signal can be used to record an event of server sled tampering (removal from chassis). The circuit is located on sled baseboard and is powered by the back-up (RTC) battery. The implementation varies with e.g. the used CPU architecture.</p>
SMB_SLED_BUF_SDA	Bidir/ OD	<p>SMBUS data between RMC and sleds (common to all sleds). Open drain.</p> <p>The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.</p> <p>An I2C buffer (PCA9617A, or equivalent) is required on sled to act as bus repeater and to prevent leakage current flow from RMC, e.g. during sled hot plug.</p>
SMB_SLED_BUF_SCL	Output/ OD	<p>SMBUS clock from RMC to sleds (common to all sleds). Open drain.</p> <p>The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.</p> <p>An I2C buffer (PCA9617A, or equivalent) is required on sled to act as a bus repeater and to prevent leakage current flow from RMC, e.g. during sled hot plug.</p>
PD_BBU_A0	Output	<p>Physical address bit for BBU unit.</p>

		<p>The signal has 1K pull-down to GND on backplane board.</p> <p>The signal is present in sled1 connector only and is to be used by BBU only.</p>
FM_BBU_PRSENT_N	Input	<p>BBU presence signal to RMC. Active low.</p> <p>The signal is connected to GND on BBU board.</p> <p>The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.</p> <p>The signal is present in sled1 connector only and is to be used by BBU only.</p>
SMB_BBU_ALERT_R_N	Input	<p>Alert signal from BBU to RMC. Active low.</p> <p>The signal has 4K7 pull-up to P3V3_RMC_STBY on backplane board.</p> <p>The signal is present in sled1 connector only and is to be used by BBU only.</p>
SMB_PMBUS_BBU_SDA	Bidir/ OD	<p>SMBUS data between RMC and sleds (common to all sleds). Open drain.</p> <p>The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.</p>
SMB_PMBUS_BBU_SCL	Output/ OD	<p>SMBUS clock from RMC to BBU. Open drain.</p> <p>The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.</p>
P3V3_SLED1	Power	<p>3V3 auxiliary voltage from sled to backplane.</p> <p>Used as pull-up voltage for slot address.</p>
GND	Power	Ground

4.4 Backplane guide pin

A guide pin in the backplane enables reliable mating of power and signal connectors between the backplane and sled. The guide pin is of type Ostracon D11402-200000-Z1, or equivalent. The receptacle on the sled is of type Ostracon D11403-000A00-Z1, or equivalent.




Figure 19 Guide pin in backplane and receptacle on sled board.

4.5 Chassis power distribution board

The power distribution board connects PSUs and RMC to rest of the system. The backplane is attached vertically to AirMax rear power and signal connectors.

The board has 8 layers for power delivery. Thickness of copper is 70 um/ 2 Oz.




Figure 20 Open edge power distribution board

STACKUP			Target Z (ohms) - MicroStrip		50	Breakout			
			Target Z (ohms) - StripLine		50				
			Z tolerance		±10%				
			Z Type		Single				
Layer#	Material	Description	Copper Weight (oz)	Thickness (mil)	Tolerance (mil)	Glass Fabric	Er	Width	Width
		Soldermask		0.60			3.8		
1		TOP	0.5+plating	1.95				4.5	4
	IT-170GRA1	PP		2.70	±0.709	1080x1	3.8		
2		GND	2 (RTF)	2.60					
	IT-170GRA1	CORE		4.00	±0.709	106x2	3.8		
3		IN1	2 (RTF)	2.60				5	4
	IT-170GRA1	PP		14.25	±1.97	2116x3	3.9		
4		VCC	2 (RTF)	2.60					
	IT-170GRA1	CORE		28.00	±2.52	7628x4	4.1		
5		VCC1	2 (RTF)	2.60					
	IT-170GRA1	PP		14.25	±1.97	2116x3	3.9		
6		IN2	2 (RTF)	2.60				5	4
	IT-170GRA1	CORE		4.00	±0.709	106x2	3.8		
7		GND1	2 (RTF)	2.60					
	IT-170GRA1	PP		2.70	±0.709	1080x1	3.8		
8		BOTTOM	0.5+plating	1.95				4.5	4
		Soldermask		0.60			3.8		
Total				90.60	±10%				

Table 8 PCB stack up of power distribution board

5 Power feed

Power feed of Open edge chassis is described in this chapter.

5.1 Power supplies

The open edge server chassis provides a redundant power feed. Both AC and DC power supplies are supported. Nominal output power is 2000 W. If one power feed or PSU fails, the remaining PSU can feed all power to the chassis.

It is possible for mixed AC/DC configuration to be used, AC and DC are functionally identical. Active-Active and Active-Standby are standard operating modes in the Open edge chassis and it is recommended that all PSU's used in Open edge chassis support them.

There are PSU variants for front-to-rear air flow and rear-to-front air flow. The selection is made based on site cooling requirements. The primary direction of air flow is from front to rear. If the airflow direction is from rear to front, the handles of the PSU should be red to clearly identify this.

PSU SKU is Bel Power PET2000-12-074xA (AC) and PET2000-12-074xD (DC) where x denotes airflow direction.

5.1.1 PSU dimensions

The outer dimensions of Open edge power supplies are shown in Table 9. Drawings of PSU are shown in Figure 21, Figure 22 and Figure 23.

Table 9 Outer dimensions of the PSU

	Dimension, max
Height	40 mm
Width	73.5 mm
Depth	265 mm




Figure 21 PSU side view




Figure 22 PSU top view




Figure 23 PSU front view (left), detail A of PSU edge connector (right)

5.1.2 PSU mating connector on power backplane

The mating connector on Open edge power distribution board is shown in Figure 24. The connector type is High Power Card Edge (FCI 10130248-005LF, or equivalent), having separate power (P) and signal (S) contact zones. Currently, these PSU's are available from multiple suppliers. Pin assignment of the connector is shown in Table 10.




Figure 24 PSU mating connector

Table 10 Pin assignment of PSU mating connector on Open edge power distribution board (signal direction I/O/bidir from PDB perspective)

Pin	Signal name	Type	Description	Mating order *)
P1-P10	GND	Power	+12 VDC return, signal ground	1
P29-P36	GND	Power	+12 VDC return, signal ground	1
P11-P18	P12_PSU	Power	+12 VDC main input from PSU to PDB	2
P19-P28	P12_PSU	Power	+12 VDC main input from PSU to PDB	2
S1	PD_PSU_A0	Output	PMBUS address bit A0. The signal has pull-up in PSU. 1K pull-down to GND on PDB is used to set bit low.	2
S2	PD_PSU_A1	Output	PMBUS address bit A1. The signal has pull-up in PSU. 1K pull-down to GND on PDB is used to set bit low.	2
S3-S4	P12V_PSU_STBY	Power	+12 VDC stand-by input from PSU to PDB	2
S21-S22	P12V_PSU_STBY	Power	+12 VDC stand-by input from PSU to PDB	2
S5	PSU_HOTSTANDBYEN_H	Bidir	Hot standby enable output. Active-high. Connected to PSU_HOTSTANDBYEN_H signal of redundant PSU on PDB. Enables one of the PSUs to disable its output under certain load conditions to improve efficiency of the other PSU.	2
S6	PSU_ISHARE	Analog	Analog current share bus. Connected to PSU_ISHARE signal of redundant PSU on PDB.	2
S7	N.C.		Not connected	2
S8	FM_PSU_PRSNT_R_N	Input	Power supply seated. Active-low. The signal is connected to GND (through a 100 Ohm pull-down) in PSU. There is a 4K7 pull-up to P3V3_RMC_STBY on PDB to set the signal high if PSU is not present.	3
S9	PD_PSU_A2	Output	PMBUS address bit A2. The signal has pull-up in PSU. 1K pull-down to GND on PDB is used to set bit low.	2
S10-S15	GND	Power	+12 VDC return, signal ground	1
S16	PWR_PSU_PWROK_R	Input/ OD	Power OK signal from PSU to RMC. Active high. Open drain. The signal has pull-up in PSU.	2
S17	PSU_REMOTE_SENSE_P	Analog	Main output positive sense. The signal connects to P12_PSU for output regulation.	2
S18	PSU_REMOTE_SENSE_R	Analog	Main output negative sense.	2

			The signal connects to GND for output regulation.	
S19	RQ_PSU_ALERT_R_N	Input/ OD	Alert signal from PSU to RMC. Active low. Open drain. The signal has 4K7 pull-up to P3V3_RMC_STBY on PDB board.	2
S20	PD_PSU_PSON_N		PSU on. Active-low. The signal has 1K pull-down to GND on PDB. PSU on/off control is done via PMBUS.	3
S23	SMB_PSU_SCL	Output/ OD	PMBUS clock from RMC to PSU/BBU. Open drain. The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.	2
S24	SMB_PSU_SDA	Bidir/ OD	PMBUS data between RMC and PSU/BBU. Open drain. The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.	2

*) 1 = first, 3 = last

5.2 Sled backplane power feed specifications

An Open edge sled design must allow safe removal and insertion without disturbing the rest of the system. All sled designs shall have a hot-swap controller (HSC) circuitry, such as the one used on Tioga Pass OCP server sled. The main tasks of the HSC include

- inrush current limiting during sled insertion and power-up
- overcurrent protection (OCP)
- under voltage protection (UVP), overvoltage protection OVP)
- voltage and current metering
- power metering

The following tables provide specifications for the voltage range, nominal current and over current protection limits for Open edge 1U and 2U sleds.

Table 11 Power feed specifications for 1U sled

Nominal input voltage	Minimum operating input voltage	Maximum operating input voltage	Maximum input current	Overcurrent limit, recommended
12.0 V DC	10.8 V DC	13.2 V DC	37 A	42 A

Table 12 Power feed specifications for 2U sled

Nominal input voltage	Minimum operating input voltage	Maximum operating input voltage	Maximum input current	Overcurrent limit, recommended
12.0 V DC	10.8 V DC	13.2 V DC	65 A	72 A

5.3 Grounding

Open edge chassis has two grounding points, one in the front and another in the rear side. Suitable grounding point can be selected based on the used rack and grounding solution. A grounding cable is connected to the chassis using a two-hole lug. Stud spacing is 16 mm and stud size 6 mm.

When DC power feed is used, grounding the chassis to site ground is mandatory. Grounding path is from PSU GND output to chassis via power distribution board.

The front and rear grounding points are shown in Figure 25.




Figure 25 Open edge chassis front (left) and rear (right) grounding points

6 Chassis HW management

HW management functions of Open edge chassis are performed via the rack management controller (RMC) unit. The main task of RMC is to manage the PSUs. In addition, RMC provides management Ethernet connectivity to all sleds via a single interface.

Note, that other than providing Ethernet connectivity, RMC is not involved in HW management of sleds. Instead, it is the responsibility of a higher layer datacentre management software entity.

RMC is hot-swappable. In case the RMC is removed during a maintenance operation, PSUs and all sleds will continue to operate normally.

A high-level block diagram of RMC and the connectivity between RMC and sleds is shown in Figure 26.

6.1 Sled HW management

As mentioned above, RMC provides HW management connectivity to the sleds, but the responsibility of the management function lies elsewhere in the system. The RMC contains an unmanaged Ethernet switch that provides connectivity from the front panel to the BMC of all sleds and the microcontroller of RMC. The physical media within the chassis is 1000BASE-T. Magnetics are used on sleds.

There is also an SMBUS interface from RMC's microcontroller to the sleds that could act as a backup connection or it could be used for simple housekeeping tasks in case the sled has no BMC. In addition, there are few I/O pins connected from RMC to sleds for future use.




Figure 26 Sled HW management connectivity

In larger systems, multiple chassis can be chained together using the dual 10 Gbit/s Ethernet ports in the RMC front panel. This provides an alternative to using an external HW management switch to implement the required connectivity.

6.2 PSU HW management

HW management of PSUs is performed by the RMC unit. The interface is PMBUS and an alert/interrupt signal. In addition, PSUs indicate power OK/NOK using a hardwired signal. The RMC is powered from the stand-by power output of the PSUs.

The RMC monitors various PSU sensors, such as temperatures, input /output voltages, input /output currents, input power and fan speed. The RMC can also command a PSU to enter/exit stand-by mode and upgrade firmware.




Figure 27 PSU management

6.3 RMC mechanics

The RMC consists of the circuit board and a metal enclosure. The RMC is located on the right side of the PSUs, connecting to the power distribution board (PDB).

The outer dimensions of the RMC are shown in Table 13.

Table 13 Outer dimensions of the RMC

	Dimension, max
Height	41 mm
Width	58 mm
Depth	270 mm

6.4 RMC connector interface

The connector between the RMC and power distribution board is 8 x 13 AirMax VS2 (FCI 10133027-101LF, or equivalent). The corresponding connector on the RMC is FCI 10136593-102LF, or equivalent. The connector is shown in Figure 28.




Figure 28 RMC signal connector with pin map

Pin assignment of the connector interface is shown in Table 14.

Table 14 Pin assignment of backplane signal connector

GND		GND		GND		GND		M
SMB_SLED_COMBINE_SDA	FM_SLED1_PRSNT_N	FM_RMC_GPIO_2	GND	LAN_SLED4_MDIP3	GND	LAN_SLED2_MDIN3	GND	L
SMB_SLED_COMBINE_SCL	IRQ_RMC_ALERT_N	FM_RMC_GPIO_1	LAN_SLED5_MDIP3	LAN_SLED4_MDIP3	LAN_SLED3_MDIP3	LAN_SLED2_MDIP3	LAN_SLED1_MDIP3	K
FM_PSU2_PRSNT_N	IRQ_PSU2_ALERT_N	FM_RMC_GPIO_0	LAN_SLED3_MDIN3	GND	LAN_SLED3_MDIN3	GND	LAN_SLED1_MDIN3	J
FM_BBU_PRSNT_N	GND	FM_BMC_SLED5_READY_N	GND	LAN_SLED4_MDIN2	GND	LAN_SLED2_MDIN2	GND	I
SMB_BBU_ALERT_N	IRQ_PSU1_ALERT_N	FM_BMC_SLED4_READY_N	LAN_SLED5_MDIN2	LAN_SLED4_MDIN2	LAN_SLED3_MDIN2	LAN_SLED2_MDIN2	LAN_SLED1_MDIN2	H
FM_PSU1_PRSNT_N	PWR_PSU2_PWROK	FM_BMC_SLED3_READY_N	LAN_SLED5_MDIP2	GND	LAN_SLED3_MDIP2	GND	LAN_SLED1_MDIP2	G
SMB_PMBUS_SDA	GND	FM_BMC_SLED2_READY_N	GND	LAN_SLED4_MDIP1	GND	LAN_SLED2_MDIN1	GND	F
SMB_PMBUS_SCL	PWR_PSU1_PWROK	FM_BMC_SLED1_READY_N	LAN_SLED5_MDIN1	LAN_SLED4_MDIN1	LAN_SLED3_MDIN1	LAN_SLED2_MDIP1	LAN_SLED1_MDIN1	E
GND	P12V_PSU_STBY	FM_SLED5_PRSNT_N	LAN_SLED5_MDIP1	GND	LAN_SLED3_MDIP1	GND	LAN_SLED1_MDIP1	D
P12V_PSU_STBY	GND	FM_SLED4_PRSNT_N	GND	LAN_SLED4_MDIP0	GND	LAN_SLED2_MDIN0	GND	C
P3V3_RMC_STBY	P12V_PSU_STBY	FM_SLED3_PRSNT_N	LAN_SLED5_MDIN0	LAN_SLED4_MDIN0	LAN_SLED3_MDIP0	LAN_SLED2_MDIP0	LAN_SLED1_MDIN0	B
GND	P12V_PSU_STBY	FM_SLED2_PRSNT_N	LAN_SLED5_MDIN0	GND	LAN_SLED3_MDIN0	GND	LAN_SLED1_MDIP0	A
8	7	6	5	4	3	2	1	

Table 15 RMC pin assignment in power distribution board (signal direction I/O/bidir from PDB perspective)

Signal	Type	Description
LAN_SLED[5..1]_MDIP[3..0] LAN_SLED[5..1]_MDIN[3..0]	Bidir	1000BASE-T between RMC and sled. Magnetics are required on sled baseboard.
FM_RMC_GPIO[2:0]	input	General purpose I/O signals driven by RMC to all sled baseboards. LVTTTL/LVCMOS. The signal has 4K7 pull-up P3V3_RMC_STBY on RMC board. The input circuit design on sled shall prevent leakage current flow from RMC, e.g. during sled hot plug. GPIO[2:0] are used to indicate the status and air flow direction of PSUs to sleds according to the following table: 000: PSU1 not present, PSU0 front to rear (F-R) 001: PSU1 not present, PSU0 rear to front (R-F) 010: PSU0 not present, PSU1 F-R 011: PSU0 not present, PSU1 R-F 100: PSU0 /1 present, PSU0 /1 F-R 101: PSU0 /1 present, PSU0 /1 R-F 110: PSU0 /1 present, PSU0 F-R, PSU1 R-F 111: PSU0 /1 present, PSU0 R-F, PSU1 F-R
FM_BMC_SLED[5..1]_READY_N	Output/ OD	BMC status signal from sled to RMC. Active low. Open drain. The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.

		The output circuit design on sled shall prevent leakage current flow from RMC, e.g. during sled hot plug.
FM_SLED1_PRSENT_N	Output	<p>Sled presence status. Active low.</p> <p>The signal is used to inform RMC whether a sled is present in a slot.</p> <p>The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.</p>
IRQ_RMC_ALERT_N	Input/ OD	<p>Alert signal from RMC to sleds (common to all sleds). Active low. Open drain.</p> <p>The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.</p> <p>The purpose of the signal is to provide means to alert sleds e.g. in case of PSU failure or low input voltage.</p>
IRQ_PSU[2..1]_ALERT_N	Output/ OD	<p>Alert signal from PSU to RMC. Active low. Open drain.</p> <p>The signal has 4K7 pull-up to P3V3_RMC_STBY on PDB board.</p>
PWR_PSU[2..1]_PWROK	Output/ OD	<p>Power OK signal from PSU to RMC. Active high. Open drain.</p> <p>The signal has pull-up in PSU.</p>
SMB_SLED_COMBINE_SDA	Bidir/ OD	<p>SMBUS data between RMC and sleds (common to all sleds). Open drain.</p> <p>The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.</p> <p>An I2C buffer (PCA9617A, or equivalent) is required on sled to act as bus repeater and to prevent leakage current flow from RMC, e.g. during sled hot plug.</p>
SMB_SLED_COMBINE_SCL	Input/ OD	<p>SMBUS clock from RMC to sleds (common to all sleds). Open drain.</p> <p>The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.</p> <p>An I2C buffer (PCA9617A, or equivalent) is required on sled to act as a bus repeater and to prevent leakage current flow from RMC, e.g. during sled hot plug.</p>
FM_BBU_PRSENT_N	Output	<p>BBU presence signal to RMC. Active low.</p> <p>The signal is connected to GND on BBU board.</p> <p>The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.</p>
SMB_BBU_ALERT_N	Output/ OD	<p>Alert signal from BBU to RMC. Active low. Open drain</p> <p>The signal has 4K7 pull-up to P3V3_RMC_STBY on backplane board.</p>

SMB_PMBUS_SDA	Bidir/ OD	PMBUS data between RMC and PSU/BBU. Open drain. The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.
SMB_PMBUS_SCL	Input/ OD	PMBUS clock from RMC to PSU/BBU. Open drain. The signal has 4K7 pull-up to P3V3_RMC_STBY on RMC board.
P12V_PSU_STBY	Power	+12 V standby voltage from PSUs to RMC. Power supply to RMC.
P3V3_RMC_STBY	Power	3V3 standby voltage from RMC to PDB (generated from P12V_PSU_STBY)
GND	Power	+12 V return, signal ground

7 Cooling

The open edge chassis supports both front-to-rear and rear-to-front cooling. The chassis does not have fans, instead fans are integrated on sleds and PSUs. The design of sleds and PSUs must support both air flow directions.

Rear wall of the chassis is perforated with honey comb pattern in the areas shown in Figure 29. Perforation ratio is 64.4%. There are no air filters in Open edge HW.



Figure 29 Chassis rear wall with backplane in place, front view (top), rear view (bottom)

7.1 Thermal design considerations for sled

Each sled has its own, independent fan control. A sled must be able to operate at full specified capacity within the specified environmental conditions, including operating temperature, humidity and altitude.

Fan control must adapt to the environmental conditions in a way that provides adequate cooling with minimum fan power consumption and acoustic noise.

A sled must be able to tolerate failure of a single fan.

At high or low temperatures, the sled must remain operational as long as possible. A thermal shutdown should be performed only when critical temperature levels of components are exceeded. A shutdown should not be performed based on sled's inlet temperature.

The height of Open edge sleds of 41 mm (1U) and 83.55 mm (2U) allow using single or dual rotor fan modules with heights 38/40 mm and 80 mm, respectively.

7.2 Air flow direction

Depending on the site installation requirements, e.g. concerning hot/cold isle arrangements of the equipment room, the direction of cooling air through the Open edge chassis may need to be configured to be either from front to rear or from rear to front.

Air flow direction of a sled should be selectable as a factory option. It is recommended that air flow direction is configurable also in the field, because sometimes the site requirements are not fully known at the time of ordering the HW. Also, for PSUs, field-configurability of air-flow direction is the preference, but if this is not feasible, different SKUs with different air flow options should be made available. SKU's with rear to front airflow must have red handles to visually reinforce the airflow.

The sled itself must be aware of the selected air flow direction and provide the information as a sensor value. When needed, the sled must automatically re-define the roles of sensors, e.g. inlet and outlet temperature sensors.

Typical Open edge sled designs may have hot-plug storage and networking interfaces in the front panel and the CPU and memories at the rear of the unit. Depending on air flow direction, components either get fresh or pre-heated cooling air. During sled development both air-flow directions shall be carefully evaluated. Any limitations to sled configurations, performance or environmental conditions shall be stated by the sled supplier.

8 Environmental and regulatory specifications

Edge servers can be in varying environments, where datacentre or central office-like conditions may not be always guaranteed. Hence environmental requirements are set slightly higher than for typical datacentre server products. Also, seismic tolerance is addressed.

Table 16 summarizes the key environmental and regulatory specifications for Open edge chassis and sleds.

NOTE: In order to meet all of the key environmental and regulatory specifications, it is necessary to test an Open edge chassis including servers. This should be taken into account when configuring an Open edge system.

Table 16 Key environmental and regulatory specifications of Open edge chassis and sleds

	Specification
Operating conditions	Operating temperature range: -5 C ...+45 C [ETSI EN300 019-1-3 Class 3.2] Short term operating temperature: -5 C to +55 C [GR-63-CORE] Operating humidity: 5 % to 95 %
Storage	ETSI EN 300 019-1-1, Class 1.2 (weather protected, not temperature-controlled storage)
Transport	ETSI EN 300 019-1-2, Class 2.2 (careful transportation)
Seismic tolerance	Earthquake risk zone 4 [GR-63-CORE]
Safety	IEC 62368-1:2014 GR-1089-CORE (electrical safety, grounding and bonding)
Fire resistance	GR-63-CORE (shelf level criteria)
EMC	EN300386 (v1.6.1) FCC CFR47 15 (class A), CISPR 22 (class A) CISPR 24 TEC/EMI/TEL-001/01/FEB-09 and TEC/IR/SWN-2MB/07/MAR-10 GR-1089-CORE
Acoustic noise	GR-63-CORE (equipment room criteria)
Material safety	RoHS 2011/65/EU, Article 7b (EN 50581, 2012)