

The L^AT_EX Companion

Second Edition

Addison-Wesley Series on Tools and Techniques for Computer Typesetting

This series focuses on tools and techniques needed for computer typesetting and information processing with traditional and new media. Books in the series address the practical needs of both users and system developers. Initial titles comprise handy references for \LaTeX users; forthcoming works will expand that core. Ultimately, the series will cover other typesetting and information processing systems, as well, especially insofar as those systems offer unique value to the scientific and technical community. The series goal is to enhance your ability to produce, maintain, manipulate, or reuse articles, papers, reports, proposals, books, and other documents with professional quality.

Ideas for this series should be directed to the editor: mittelbach@aw.com.
Send all other comments to the publisher: awprofessional@aw.com.

Series Editor

Frank Mittelbach
Manager \LaTeX 3 Project, Germany

Editorial Board

Jacques André <i>Irisa/Inria-Rennes, France</i>	Tim Bray <i>Textuality Services, Canada</i>	Chris Rowley <i>Open University, UK</i>
Barbara Beeton <i>Editor, TUGboat, USA</i>	Peter Flynn <i>University College, Cork, Ireland</i>	Richard Rubinstein <i>Human Factors International, USA</i>
David Brailsford <i>University of Nottingham, UK</i>	Leslie Lamport <i>Creator of \LaTeX, USA</i>	Paul Stiff <i>University of Reading, UK</i>

Series Titles

Guide to \LaTeX , Fourth Edition, by Helmut Kopka and Patrick W. Daly
The \LaTeX Companion, Second Edition, by Frank Mittelbach and Michel Goossens
with Johannes Braams, David Carlisle, and Chris Rowley
The \LaTeX Graphics Companion, by Michel Goossens, Sebastian Rahtz, and Frank Mittelbach
The \LaTeX Web Companion, by Michel Goossens and Sebastian Rahtz

Also from Addison-Wesley:

\LaTeX : A Document Preparation System, Second Edition, by Leslie Lamport
The Unicode Standard, Version 4.0, by the Unicode Consortium

The L^AT_EX Companion

Second Edition

Frank Mittelbach

L^AT_EX3 Project, Mainz, Germany

Michel Goossens

CERN, Geneva, Switzerland

with Johannes Braams, David Carlisle,
and Chris Rowley

and contributions by
Christine Detig and Joachim Schrod

◆ Addison-Wesley

Boston • San Francisco • New York • Toronto • Montreal
London • Munich • Paris • Madrid
Capetown • Sydney • Tokyo • Singapore • Mexico City

Many of the designations used by manufacturers and sellers to distinguish their products are claimed as trademarks. Where those designations appear in this book, and Addison-Wesley was aware of a trademark claim, the designations have been printed with initial capital letters or in all capitals.

The authors and publisher have taken care in the preparation of this book, but make no expressed or implied warranty of any kind and assume no responsibility for errors or omissions. No liability is assumed for incidental or consequential damages in connection with or arising out of the use of the information or programs contained herein.

The publisher offers discounts on this book when ordered in quantity for bulk purchases and special sales. For more information, please contact:

U.S. Corporate and Government Sales
(800) 382-3419
corpsales@pearsontechgroup.com

For sales outside of the U.S., please contact:

International Sales
(317) 581-3793
international@pearsontechgroup.com

Visit Addison-Wesley on the Web: www.awprofessional.com

Library of Congress Cataloging-in-Publication Data

Mittelbach, Frank.

The LaTeX Companion.- 2nd ed. / Frank Mittelbach and Michel Goossens, with Johannes Braams, David Carlisle, and Chris Rowley.

p. cm.

Goossens' name appears first on the earlier edition.

Includes bibliographical references and index.

ISBN 0-201-36299-6 (pbk. : alk. paper)

1. LaTeX (Computer file) 2. Computerized typesetting. I. Goossens, Michel. II. Rowley, Chris, 1948- III. Title.

Z253.4.L38G66 2004

686.2'2544536-dc22

2003070810

Copyright © 2004 by Pearson Education, Inc.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form, or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior consent of the publisher. Printed in the United States of America. Published simultaneously in Canada.

For information on obtaining permission for use of material from this work, please submit a written request to:

Pearson Education, Inc.
Rights and Contracts Department
75 Arlington Street, Suite 300
Boston, MA 02116
Fax: (617) 848-7047

ISBN 0-201-36299-6

Text printed on recycled paper

1 2 3 4 5 6 7 8 9 10—CRW—0807060504

First printing, April 2004



We dedicate this book to the memory of Michael Downes (1958–2003), a great friend and wonderful colleague on the \LaTeX Team. His thoughtful contributions to our work and our lives are diverse and profound. Moreover, he brightens the lives of countless grateful (\LaTeX) users through the wisdom built into his support for all aspects of mathematical typesetting—very many *masterpieces of the publishing art* will stand for ever as superb memorials to his quiet but deep insights.

Contents

List of Figures	xix
List of Tables	xxi
Preface	xxv
1 Introduction	1
1.1 A brief history	1
1.2 Today's system	6
1.3 Working with this book	10
1.3.1 What's here	10
1.3.2 Typographic conventions	11
1.3.3 Using the examples	14
2 The Structure of a L^AT_EX Document	15
2.1 The structure of a source file	15
2.1.1 Processing of options and packages	17
2.1.2 Splitting the source file into parts	18
2.1.3 Combining several files	20
2.1.4 optional—Providing variants in the document source	21
2.2 Sectioning commands	22
2.2.1 Numbering headings	24
2.2.2 Formatting headings	27
2.2.3 Changing fixed heading texts	34
2.2.4 fncychap—Predefined chapter heading layouts	34
2.2.5 quotchap—Mottos on chapters	35
2.2.6 titlesec—A different approach to headings	36

2.3	Table of contents structures	45
2.3.1	Entering information into the contents files	46
2.3.2	Typesetting a contents list	49
2.3.3	Combining contents lists	52
2.3.4	Providing additional contents files	54
2.3.5	shorttoc—Summary table of contents	55
2.3.6	minitoc—Multiple tables of contents	56
2.3.7	titletoc—A different approach to contents lists	58
2.4	Managing references	66
2.4.1	showkeys—Displaying the reference keys	68
2.4.2	varioref—More flexible cross-references	68
2.4.3	prettyref—Adding frills to references	75
2.4.4	titleref—Non-numerical references	76
2.4.5	hyperref—Active references	78
2.4.6	xr—References to external documents	78
3	Basic Formatting Tools	79
3.1	Phrases and paragraphs	80
3.1.1	xspace—Gentle spacing after a macro	80
3.1.2	ellipsis, lips—Marks of omission	81
3.1.3	amsmath—Nonbreaking dashes	83
3.1.4	relsize—Relative changes to the font size	83
3.1.5	textcase—Change case of text intelligently	85
3.1.6	ulem—Emphasize via underline	87
3.1.7	soul—Letterspacing or stealing sheep	88
3.1.8	url—Typesetting URLs, path names, and the like	93
3.1.9	euro—Converting and typesetting currencies	96
3.1.10	lettrine—Dropping your capital	99
3.1.11	Paragraph justification in L ^A T _E X	102
3.1.12	ragged2e—Enhancing justification	105
3.1.13	setspace—Changing interline spacing	106
3.1.14	picinpar—Making rectangular holes	108
3.2	Footnotes, endnotes, and marginals	109
3.2.1	Using standard footnotes	110
3.2.2	Customizing standard footnotes	112
3.2.3	ftnright—Right footnotes in a two-column environment	114
3.2.4	footmisc—Various footnotes styles	114
3.2.5	perpage—Resetting counters on a “per-page” basis	120
3.2.6	manyfoot—Independent footnotes	122
3.2.7	endnotes—An alternative to footnotes	125
3.2.8	Marginal notes	126
3.3	List structures	128
3.3.1	Modifying the standard lists	128
3.3.2	paralist—Extended list environments	132

3.3.3	<code>amsthm</code> —Providing headed lists	138
3.3.4	Making your own lists	144
3.4	Simulating typed text	151
3.4.1	Simple verbatim extensions	152
3.4.2	<code>upquote</code> —Computer program style quoting	153
3.4.3	<code>fancyvrb</code> —Highly customizable verbatim environments	155
3.4.4	<code>listings</code> —Pretty-printing program code	168
3.5	Lines and columns	175
3.5.1	<code>lineno</code> —Numbering lines of text	176
3.5.2	<code>parallel</code> —Two text streams aligned	181
3.5.3	<code>multicol</code> —A flexible way to handle multiple columns	184
3.5.4	<code>changebar</code> —Adding revision bars to documents	189
4	The Layout of the Page	193
4.1	Geometrical dimensions of the layout	193
4.2	Changing the layout	197
4.2.1	<code>layouts</code> —Displaying your layout	199
4.2.2	A collection of page layout packages	202
4.2.3	<code>typearea</code> —A traditional approach	203
4.2.4	<code>geometry</code> —Layout specification with auto-completion	206
4.2.5	<code>lscap</code> —Typesetting individual pages in landscape mode	211
4.2.6	<code>crop</code> —Producing trimming marks	212
4.3	Dynamic page data: page numbers and marks	215
4.3.1	\LaTeX page numbers	215
4.3.2	<code>lastpage</code> —A way to reference it	216
4.3.3	<code>chappg</code> —Page numbers by chapters	216
4.3.4	\LaTeX mark commands	217
4.3.5	<code>extramarks</code> —Providing new marks	220
4.4	Page styles	221
4.4.1	The low-level page style interface	223
4.4.2	<code>fancyhdr</code> —Customizing page styles	224
4.4.3	<code>truncate</code> —Truncate text to a given length	232
4.5	Visual formatting	234
4.5.1	<code>nextpage</code> —Extensions to <code>\clearpage</code>	235
4.6	Doing layout with class	236
4.6.1	KOMA-Script—A drop-in replacement for article et al.	236
4.6.2	<code>memoir</code> —Producing complex publications	237
5	Tabular Material	239
5.1	Standard \LaTeX environments	240
5.1.1	Using the <code>tabbing</code> environment	241
5.1.2	Using the <code>tabular</code> environment	242
5.2	<code>array</code> —Extending the tabular environments	243
5.2.1	Examples of preamble commands	244

5.2.2	Defining new column specifiers	248
5.3	Calculating column widths	249
5.3.1	Explicit calculation of column widths	250
5.3.2	<code>tabularx</code> —Automatic calculation of column widths	251
5.3.3	<code>tabulary</code> —Column widths based on content	253
5.3.4	Differences between <code>tabular*</code> , <code>tabularx</code> , and <code>tabulary</code>	255
5.4	Multipage tabular material	255
5.4.1	<code>supertabular</code> —Making multipage tabulars	256
5.4.2	<code>longtable</code> —Alternative multipage tabulars	259
5.5	Color in tables	264
5.6	Customizing table rules and spacing	265
5.6.1	Colored table rules	265
5.6.2	Variable-width rules	266
5.6.3	<code>hline</code> —Combining horizontal and vertical lines	266
5.6.4	<code>arydshln</code> —Dashed rules	267
5.6.5	<code>tbls</code> —Controlling row spacing	269
5.6.6	<code>booktabs</code> —Formal ruled tables	269
5.7	Further extensions	272
5.7.1	<code>multirow</code> —Vertical alignment in tables	273
5.7.2	<code>dcolumn</code> —Decimal column alignments	274
5.8	Footnotes in tabular material	277
5.8.1	Using <code>minipage</code> footnotes with tables	277
5.8.2	<code>threeparttable</code> —Setting table and notes together	278
5.9	Applications	279
5.9.1	Managing tables with wide entries	279
5.9.2	Tables inside tables	280
6	Mastering Floats	283
6.1	Understanding float parameters	284
6.2	Float placement control	286
6.2.1	<code>placeins</code> —Preventing floats from crossing a barrier	288
6.2.2	<code>afterpage</code> —Taking control at the page boundary	289
6.2.3	<code>endfloat</code> —Placing figures and tables at the end	289
6.3	Extensions to \LaTeX 's float concept	291
6.3.1	<code>float</code> —Creating new float types	291
6.3.2	<code>caption</code> —For nonfloating figures and tables	295
6.3.3	<code>rotating</code> —Rotating floats	296
6.3.4	<code>rotfloat</code> —Combining float and rotating	298
6.4	Inline floats	298
6.4.1	<code>wrapfig</code> —Wrapping text around a figure	299
6.4.2	<code>picins</code> —Placing pictures inside the text	302
6.5	Controlling the float caption	306
6.5.1	<code>caption</code> —Customizing your captions	308
6.5.2	<code>subfig</code> —Substructuring floats	315

6.5.3	subfloat—Sub-numbering floats	321
6.5.4	sidecap—Place captions sideways	323
6.5.5	fltpage—Captions on a separate page	325
7	Fonts and Encodings	327
7.1	Introduction	327
7.1.1	The history of L ^A T _E X's font selection scheme (NFSS)	327
7.1.2	Input and output encodings	329
7.2	Understanding font characteristics	331
7.2.1	Monospaced and proportional fonts	331
7.2.2	Serifed and sans serif fonts	332
7.2.3	Font families and their attributes	333
7.2.4	Font encodings	336
7.3	Using fonts in text	337
7.3.1	Standard L ^A T _E X font commands	338
7.3.2	Combining standard font commands	343
7.3.3	Font commands versus declarations	344
7.3.4	Accessing all characters of a font	345
7.3.5	Changing the default text fonts	346
7.3.6	L ^A T _E X 2.09 font commands	347
7.4	Using fonts in math	347
7.4.1	Special math alphabet identifiers	348
7.4.2	Text font commands in math	351
7.4.3	Mathematical formula versions	352
7.5	Standard L ^A T _E X font support	353
7.5.1	Computer Modern—The L ^A T _E X standard fonts	353
7.5.2	inputenc—Selecting the input encoding	357
7.5.3	fontenc—Selecting font encodings	361
7.5.4	textcomp—Providing additional text symbols	362
7.5.5	exscale—Scaling large operators	368
7.5.6	tracefnt—Tracing the font selection	368
7.5.7	nfssfont.tex—Displaying font tables and samples	369
7.6	PSNFSS—PostScript fonts with L ^A T _E X	370
7.6.1	Font samples for fonts supported by PSNFSS	373
7.6.2	mathptmx—Times Roman in math and text	376
7.6.3	mathpazo—Palatino in math and text	377
7.6.4	pifont—Accessing Pi and Symbol fonts	378
7.7	A collection of font packages	381
7.7.1	eco—Old-style numerals with Computer Modern	381
7.7.2	ccfonts, concmath—The Concrete fonts	383
7.7.3	cmbright—The Computer Modern Bright fonts	385
7.7.4	luximono—A general-purpose typewriter font	386
7.7.5	txfonts—Alternative support for Times Roman	388
7.7.6	pxfonts—Alternative support for Palatino	390

7.7.7	The Fourier-GUTenberg fonts	391
7.7.8	The URW Antiqua and Grotesk fonts	393
7.7.9	yfonts—Typesetting with Old German fonts	394
7.7.10	euler, eulervm—Accessing the Euler fonts	396
7.8	The \LaTeX world of symbols	399
7.8.1	dingbat—A selection of hands	400
7.8.2	wasysym—Waldi’s symbol font	401
7.8.3	marvosym—Interface to the MarVoSym font	401
7.8.4	bbding—A METAFONT alternative to Zapf Dingbats	403
7.8.5	ifsym—Clocks, clouds, mountains, and other symbols	403
7.8.6	tipa—International Phonetic Alphabet symbols	405
7.8.7	Typesetting the euro symbol (€)	407
7.9	The low-level interface	412
7.9.1	Setting individual font attributes	413
7.9.2	Setting several font attributes	417
7.9.3	Automatic substitution of fonts	418
7.9.4	Using low-level commands in the document	418
7.10	Setting up new fonts	419
7.10.1	Overview	419
7.10.2	Naming those thousands of fonts	420
7.10.3	Declaring new font families and font shape groups	421
7.10.4	Modifying font families and font shape groups	429
7.10.5	Declaring new font encoding schemes	430
7.10.6	Internal file organization	431
7.10.7	Declaring new fonts for use in math	432
7.10.8	Example: Defining your own .fd files	437
7.10.9	The order of declaration	439
7.11	\LaTeX ’s encoding models	440
7.11.1	Character data within the \LaTeX system	440
7.11.2	\LaTeX ’s internal character representation (LICR)	442
7.11.3	Input encodings	443
7.11.4	Output encodings	447
7.12	Compatibility packages for very old documents	463
7.12.1	oldfont, rawfonts, newlfont—Processing old documents	463
7.12.2	latexsym—Providing symbols from \LaTeX 2.09 lasy fonts	464
8	Higher Mathematics	465
8.1	Introduction to $\mathcal{A}_{MS}\text{-}\LaTeX$	466
8.2	Display and alignment structures for equations	468
8.2.1	Comparison with standard \LaTeX	470
8.2.2	A single equation on one line	471
8.2.3	A single equation on several lines: no alignment	471
8.2.4	A single equation on several lines: with alignment	473
8.2.5	Equation groups without alignment	474

8.2.6	Equation groups with simple alignment	475
8.2.7	Multiple alignments: <code>align</code> and <code>flalign</code>	475
8.2.8	Display environments as mini-pages	477
8.2.9	Interrupting displays: <code>\intertext</code>	479
8.2.10	Vertical space and page breaks in and around displays . .	479
8.2.11	Equation numbering and tags	482
8.2.12	Fine-tuning tag placement	483
8.2.13	Subordinate numbering sequences	484
8.2.14	Resetting the equation counter	485
8.3	Matrix-like environments	485
8.3.1	The <code>cases</code> environment	486
8.3.2	The matrix environments	486
8.3.3	Stacking in subscripts and superscripts	487
8.3.4	Commutative diagrams	488
8.3.5	<code>delarray</code> —Delimiters surrounding an array	489
8.4	Compound structures and decorations	490
8.4.1	Decorated arrows	490
8.4.2	Continued fractions	490
8.4.3	Boxed formulas	491
8.4.4	Limiting positions	491
8.4.5	Multiple integral signs	492
8.4.6	Modular relations	492
8.4.7	Fractions and generalizations	493
8.4.8	Dottier accents	494
8.4.9	<code>amsxtra</code> —Accents as superscripts	495
8.4.10	Extra decorations	495
8.5	Variable symbol commands	495
8.5.1	Ellipsis	496
8.5.2	Horizontal extensions	497
8.5.3	Vertical extensions	498
8.6	Words in mathematics	499
8.6.1	The <code>\text</code> command	499
8.6.2	Operator names	499
8.7	Fine-tuning the mathematical layout	502
8.7.1	Controlling the automatic sizing and spacing	502
8.7.2	Sub-formulas	503
8.7.3	Big-g delimiters	504
8.7.4	Radical movements	504
8.7.5	Ghostbusters™	505
8.7.6	Horizontal spaces	507
8.8	Fonts in formulas	508
8.8.1	Additional math font commands	509
8.8.2	<code>bm</code> —Making bold	510
8.8.3	A collection of math font set-ups	513

8.9	Symbols in formulas	524
8.9.1	Mathematical symbol classes	524
8.9.2	Letters, numerals, and other Ordinary symbols	526
8.9.3	Mathematical accents	529
8.9.4	Binary operator symbols	529
8.9.5	Relation symbols	531
8.9.6	Punctuation	535
8.9.7	Operator symbols	536
8.9.8	Opening and Closing symbols	537
9	L^AT_EX in a Multilingual Environment	539
9.1	T _E X and non-English languages	539
9.1.1	Language-related aspects of typesetting	541
9.1.2	Culture-related aspects of typesetting	542
9.1.3	Babel—L ^A T _E X speaks multiple languages	542
9.2	The babel user interface	543
9.2.1	Setting or getting the current language	544
9.2.2	Handling shorthands	547
9.2.3	Language attributes	549
9.3	User commands provided by language options	550
9.3.1	Translations	550
9.3.2	Available shorthands	550
9.3.3	Language-specific commands	558
9.3.4	Layout considerations	564
9.3.5	Languages and font encoding	566
9.4	Support for non-Latin alphabets	569
9.4.1	The Cyrillic alphabet	569
9.4.2	The Greek alphabet	574
9.4.3	The Hebrew alphabet	576
9.5	Tailoring babel	579
9.5.1	Hyphenating in several languages	580
9.5.2	The package file	581
9.5.3	The structure of the babel language definition file	582
9.6	Other approaches	591
9.6.1	More complex languages	591
9.6.2	Omega	592
10	Graphics Generation and Manipulation	593
10.1	Producing portable graphics and ornaments	595
10.1.1	boxedminipage—Boxes with frames	595
10.1.2	shadow—Boxes with shadows	595
10.1.3	fancybox—Ornamental boxes	596
10.1.4	epic—An enhanced picture environment	600
10.1.5	eepic—Extending the epic package	607
10.1.6	Special-purpose languages	611

10.2	\LaTeX 's device-dependent graphics support	613
10.2.1	Options for <code>graphics</code> and <code>graphicx</code>	614
10.2.2	The <code>\includegraphics</code> syntax in the <code>graphics</code> package	616
10.2.3	The <code>\includegraphics</code> syntax in the <code>graphicx</code> package	618
10.2.4	Setting default key values for the <code>graphicx</code> package	623
10.2.5	Declarations guiding the inclusion of images	624
10.2.6	A caveat: Encapsulation is important	627
10.3	Manipulating graphical objects in \LaTeX	628
10.3.1	Scaling a \LaTeX box	628
10.3.2	Resizing to a given size	629
10.3.3	Rotating a \LaTeX box	630
10.3.4	<code>rotating</code> —Revisited	633
10.4	Display languages: PostScript, PDF, and SVG	634
10.4.1	The PostScript language	635
10.4.2	The <code>dvips</code> PostScript driver	637
10.4.3	<code>pspicture</code> —An enhanced <code>picture</code> environment for <code>dvips</code>	638
10.4.4	The Portable Document Format	642
10.4.5	Scalable Vector Graphics	644
11	Index Generation	647
11.1	Syntax of the index entries	648
11.1.1	Simple index entries	650
11.1.2	Generating subentries	650
11.1.3	Page ranges and cross-references	651
11.1.4	Controlling the presentation form	651
11.1.5	Printing special characters	652
11.1.6	Creating a glossary	653
11.1.7	Defining your own index commands	653
11.1.8	Special considerations	654
11.2	<code>makeindex</code> —A program to format and sort indexes	654
11.2.1	Generating the formatted index	655
11.2.2	Detailed options of the <code>MakeIndex</code> program	655
11.2.3	Error messages	658
11.2.4	Customizing the index with <code>MakeIndex</code>	659
11.2.5	<code>MakeIndex</code> pitfalls	665
11.3	<code>xindy</code> —An alternative to <code>MakeIndex</code>	666
11.3.1	Generating the formatted index with <code>xindy</code>	668
11.3.2	International indexing with <code>xindy</code>	669
11.3.3	Modules for common tasks	671
11.3.4	Style files for individual solutions	673
11.4	Enhancing the index with \LaTeX features	679
11.4.1	Modifying the layout	679
11.4.2	<code>showidx</code> , <code>repeatindex</code> , <code>tocbibind</code> , <code>indxcite</code> —Little helpers	680
11.4.3	<code>index</code> —Producing multiple indexes	681

12 Managing Citations	683
12.1 Introduction	683
12.1.1 Bibliographical reference schemes	684
12.1.2 Markup structure for citations and bibliography	686
12.1.3 Using \LaTeX to produce the bibliography input	687
12.2 The number-only system	691
12.2.1 Standard \LaTeX —Reference by number	691
12.2.2 <code>cite</code> —Enhanced references by number	693
12.2.3 <code>notoccite</code> —Solving a problem with unsorted citations	697
12.3 The author-date system	698
12.3.1 Early attempts	699
12.3.2 <code>natbib</code> —Customizable author-date references	700
12.3.3 <code>bibentry</code> —Full bibliographic entries in running text	710
12.4 The author-number system	712
12.4.1 <code>natbib</code> —Revisited	712
12.5 The short-title system	715
12.5.1 <code>jurabib</code> —Customizable short-title references	715
12.5.2 <code>camel</code> —Dedicated law support	743
12.6 Multiple bibliographies in one document	745
12.6.1 <code>chapterbib</code> —Bibliographies per included file	747
12.6.2 <code>bibunits</code> —Bibliographies for arbitrary units	749
12.6.3 <code>bibtopic</code> —Combining references by topic	753
12.6.4 <code>multibib</code> —Separate global bibliographies	755
13 Bibliography Generation	757
13.1 The \LaTeX program and some variants	758
13.1.1 <code>bibtex8</code> —An 8-bit reimplementaion of \LaTeX	759
13.1.2 Recent developments	759
13.2 The \LaTeX database format	761
13.2.1 Entry types and fields	762
13.2.2 The text part of a field explained	764
13.2.3 Abbreviations in \LaTeX	769
13.2.4 The \LaTeX preamble	771
13.2.5 Cross-referencing entries	772
13.3 On-line bibliographies	773
13.4 Bibliography database management tools	774
13.4.1 <code>biblist</code> —Printing \LaTeX database files	774
13.4.2 <code>bibttools</code> —A collection of command-line tools	775
13.4.3 <code>bibclean</code> , etc.—A second set of command-line tools	777
13.4.4 <code>bibttool</code> —A multipurpose command-line tool	778
13.4.5 <code>pybliographer</code> —An extensible bibliography manager	784
13.4.6 <code>JBibtexManager</code> —A \LaTeX database manager in Java	787
13.4.7 <code>BibTexMng</code> —A \LaTeX database manager for Windows	789

13.5	Formatting the bibliography with \BibTeX styles	790
13.5.1	A collection of \BibTeX style files	791
13.5.2	<code>custom-bib</code> —Generate \BibTeX styles with ease	798
13.6	The \BibTeX style language	805
13.6.1	The \BibTeX style file commands and built-in functions	805
13.6.2	The documentation style <code>btxbst.doc</code>	806
13.6.3	Introducing small changes in a style file	809
14	\LaTeX Package Documentation Tools	813
14.1	<code>doc</code> —Documenting \LaTeX and other code	813
14.1.1	General conventions for the source file	814
14.1.2	Describing new macros and environments	815
14.1.3	Cross-referencing all macros used	817
14.1.4	The documentation driver	818
14.1.5	Conditional code in the source	819
14.2	<code>docstrip.tex</code> —Producing ready-to-run code	824
14.2.1	Invocation of the <code>DOCSTRIP</code> utility	825
14.2.2	<code>DOCSTRIP</code> script commands	826
14.2.3	Installation support and configuration	830
14.2.4	Using <code>DOCSTRIP</code> with other languages	833
14.3	<code>ltxdoc</code> —A simple \LaTeX documentation class	834
14.3.1	Extensions provided by <code>ltxdoc</code>	834
14.3.2	Customizing the output of documents that use <code>ltxdoc</code>	835
14.4	Making use of version control tools	836
14.4.1	<code>rcs</code> —Accessing individual keywords	837
14.4.2	<code>rcsinfo</code> —Parsing the <code>\\$Id\$</code> keyword	838
A	A \LaTeX Overview for Preamble, Package, and Class Writers	841
A.1	Linking markup and formatting	841
A.1.1	Command and environment names	842
A.1.2	Defining new commands	843
A.1.3	Defining new environments	847
A.1.4	Defining and changing counters	851
A.1.5	Defining and changing space parameters	854
A.2	Page markup—Boxes and rules	860
A.2.1	LR boxes	860
A.2.2	Paragraph boxes	862
A.2.3	Rule boxes	866
A.2.4	Manipulating boxed material	868
A.2.5	Box commands and color	870
A.3	Control structure extensions	871
A.3.1	<code>calc</code> —Arithmetic calculations	871
A.3.2	<code>ifthen</code> —Advanced control structures	872

A.4	Package and class file structure	877
A.4.1	The identification part	877
A.4.2	The initial code part	880
A.4.3	The declaration of options	880
A.4.4	The execution of options	881
A.4.5	The package loading part	882
A.4.6	The main code part	883
A.4.7	Special commands for package and class files	883
A.4.8	Special commands for class files	886
A.4.9	A minimal class file	888
B	Tracing and Resolving Problems	889
B.1	Error messages	890
B.1.1	Dying with memory exceeded	915
B.2	Warnings and informational messages	920
B.3	\TeX and \LaTeX commands for tracing	931
B.3.1	Displaying command definitions and register values	932
B.3.2	Diagnosing page-breaking problems	935
B.3.3	Diagnosing and solving paragraph-breaking problems	939
B.3.4	Other low-level tracing tools	943
B.3.5	trace—Selectively tracing command execution	945
C	\LaTeX Software and User Group Information	947
C.1	Getting help	947
C.2	How to get those \TeX files?	948
C.3	Using CTAN	950
C.3.1	Finding files on the archive	950
C.3.2	Using the \TeX file catalogue	950
C.3.3	Getting multiple files	952
C.4	Finding the documentation on your \TeX system	954
C.4.1	texdoc—Command-line interface for a search by name	954
C.4.2	texdoctk—Panel interface for a search by subject	955
C.5	\TeX user groups	956
D	TLC2 \TeX CD	959
	Bibliography	963
	Index of Commands and Concepts	983
	People	1080
	Biographies	1083
	Production Notes	1089

List of Figures

1.1	Data flow in the \LaTeX system	9
2.1	The layout for a display heading	28
2.2	The layout for a run-in heading	29
2.3	Parameters defining the layout of a contents file	51
3.1	Schematic layout of footnotes	113
3.2	The placement of text and footnotes with the <code>ftnright</code> package	115
3.3	Parameters used by the <code>list</code> environment	145
4.1	Page layout parameters and visualization	194
4.2	Schematic overview of how \LaTeX 's marker mechanism works	219
6.1	Spacing layout of the <code>subfig</code> package	317
7.1	Major font characteristics	332
7.2	Comparison of serified and sans serif letters	332
7.3	Comparison between upright and italic shapes	333
7.4	Comparison between caps and small caps	334
7.5	Outline and shaded shapes	335
7.6	Scaled and designed fonts (Computer Modern)	336
8.1	Sample page typeset with Computer Modern fonts	513
8.2	Sample page typeset with Concrete fonts	514
8.3	Sample page typeset with Concrete and Euler fonts	514

8.4	Sample page typeset with Fourier fonts	515
8.5	Sample page typeset with Times and Symbol	516
8.6	Sample page typeset with Times and TX fonts	516
8.7	Sample page typeset with Times and TM Math fonts	517
8.8	Sample page typeset with Palatino and Math Pazo	518
8.9	Sample page typeset with Palatino and PX fonts	518
8.10	Sample page typeset with Palatino and PA Math fonts	519
8.11	Sample page typeset with Baskerville fonts	520
8.12	Sample page typeset with Charter fonts	520
8.13	Sample page typeset with Lucida Bright	521
8.14	Sample page typeset with CM Bright fonts	522
8.15	Sample page typeset with Helvetica Math fonts	522
8.16	Sample page typeset with Info Math fonts	523
9.1	A Hebrew document	577
10.1	The contents of the file <code>w.eps</code>	616
10.2	A \LaTeX box and possible <code>origin</code> reference points	632
10.3	SVG generated from a <code>dvi</code> file	646
11.1	The sequential flow of index processing	648
11.2	Stepwise development of index processing	649
11.3	Example of <code>\index</code> commands and the <code>showidx</code> package	656
11.4	Printing the index and the output of the <code>showidx</code> option	656
11.5	Example of the use of special characters with <i>MakeIndex</i>	663
11.6	Example of customizing the output format of an index	663
11.7	Adding leaders to an index	664
11.8	<code>xindy</code> process model	674
12.1	Data flow when running \BibTeX and \LaTeX	688
12.2	Sample \BibTeX database <code>tex.bib</code>	690
12.3	Sample \BibTeX database <code>jura.bib</code>	717
13.1	Output of the program <code>printbib</code>	776
13.2	Output of the program <code>bib2html</code>	777
13.3	The <code>pybliographic</code> work space	785
13.4	Native editing in <code>pybliographic</code>	786
13.5	The <code>JBibtexManager</code> work space	788
13.6	The <code>BibTeXMng</code> work space	790
A.1	An example of a class file extending <code>article</code>	886
C.1	The \TeX Users Group web home page	949
C.2	Using the CTAN web interface	951
C.3	Graham Williams' \TeX catalogue on the web	952
C.4	Finding documentation with the <code>texdoctk</code> program	955

List of Tables

1.1	Major file types used by $\text{T}_{\text{E}}\text{X}$ and $\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$	8
2.1	$\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$'s standard sectioning commands	23
2.2	Language-dependent strings for headings	34
2.3	A summary of the minitoc parameters	57
3.1	ISO currency codes of the <i>euro</i> and the 12 <i>euro-zone</i> countries	97
3.2	Parameters used by <code>ragged2e</code>	106
3.3	Effective <code>\baselinestretch</code> values for different font sizes	108
3.4	Footnote symbol lists predefined by <code>footmisc</code>	117
3.5	Commands controlling an <code>itemize</code> list environment	128
3.6	Commands controlling an <code>enumerate</code> list environment	130
3.7	Languages supported by <code>listings</code> (Winter 2003)	169
3.8	Length parameters used by <code>multicols</code>	185
3.9	Counters used by <code>multicols</code>	186
4.1	Standard paper size options in $\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$	195
4.2	Default values for the page layout parameters (<code>letterpaper</code>)	196
4.3	Page style defining commands in $\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$	223
5.1	The preamble options in the standard $\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$ <code>tabular</code> environment	243
5.2	Additional preamble options in the <code>array</code> package	244
5.3	The preamble options in the <code>tabulary</code> package	254
7.1	Standard size-changing commands	342
7.2	Standard font-changing commands and declarations	344

7.3	Font attribute defaults	346
7.4	Predefined math alphabet identifiers in \LaTeX	349
7.5	Classification of the Computer Modern font families	354
7.6	Commands made available with <code>textcomp</code>	363
7.6	Commands made available with <code>textcomp</code> (cont.)	364
7.7	Fonts used by PSNFSS packages	371
7.8	Classification of font families in the PSNFSS distribution	372
7.9	Glyphs in the PostScript font Zapf Dingbats	379
7.10	Glyphs in the PostScript font Symbol	382
7.11	Classification of the Concrete font families	384
7.12	Classification of the Computer Modern Bright font families	385
7.13	Classification of the LuxiMono font family	387
7.14	Classification of the TX font families	388
7.15	Classification of the PX font families	391
7.16	Classification of the Fourier-GUTenberg font families	392
7.17	Classification of the URW Antiqua and Grotesk fonts	393
7.18	Classification of the Euler math font families	397
7.19	Glyphs in the <code>wasy</code> fonts	400
7.20	Glyphs in the MarVoSym font	402
7.21	Glyphs in the METAFONT font <code>bbding</code>	404
7.22	TIPA shortcut characters	406
7.23	Classification of the EuroSym font family	409
7.24	Classification of the Adobe euro font families	411
7.25	Weight and width classification of fonts	414
7.26	Shape classification of fonts	415
7.27	Standard font encodings used with \LaTeX	416
7.28	Karl Berry's font file name classification scheme	420
7.29	Glyph chart for <code>msbm10</code> produced by the <code>nfssfont.tex</code> program	434
7.30	Math symbol type classification	435
7.31	LICR objects represented with single characters	441
7.32	Glyph chart for a T1-encoded font (<code>ecrm1000</code>)	449
7.33	Standard LICR objects	455
8.1	Display environments in the <code>amsmath</code> package	469
8.2	Default rule thickness in different math styles	494
8.3	Vertically extensible symbols	498
8.4	Predefined operators and functions	500
8.5	Mathematical styles in sub-formulas	502
8.6	Mathematical spacing commands	508
8.7	Space between symbols	525
8.8	Latin letters and Arabic numerals	526
8.9	Symbols of class <code>\mathord</code> (Greek)	527
8.10	Symbols of class <code>\mathord</code> (letter-shaped)	527
8.11	Symbols of class <code>\mathord</code> (miscellaneous)	528

8.12	Mathematical accents, giving sub-formulas of class <code>\mathord</code>	529
8.13	Symbols of class <code>\mathbin</code> (miscellaneous)	530
8.14	Symbols of class <code>\mathbin</code> (boxes)	530
8.15	Symbols of class <code>\mathbin</code> (circles)	531
8.16	Symbols of class <code>\mathrel</code> (equality and order)	532
8.17	Symbols of class <code>\mathrel</code> (equality and order—negated)	532
8.18	Symbols of class <code>\mathrel</code> (sets and inclusion)	533
8.19	Symbols of class <code>\mathrel</code> (sets and inclusion—negated)	533
8.20	Symbols of class <code>\mathrel</code> (arrows)	534
8.21	Symbols of class <code>\mathrel</code> (arrows—negated)	534
8.22	Symbols of class <code>\mathrel</code> (negation and arrow extensions)	535
8.23	Symbols of class <code>\mathrel</code> (miscellaneous)	535
8.24	Symbols of class <code>\mathpunct</code> , <code>\mathord</code> , <code>\mathinner</code> (punctuation) .	536
8.25	Symbols of class <code>\mathop</code>	536
8.26	Symbol pairs of class <code>\mathopen</code> and <code>\mathclose</code> (extensible)	537
8.27	Symbol pairs of class <code>\mathopen</code> and <code>\mathclose</code> (non-extensible) . .	537
9.1	Language options supported by the <code>babel</code> system	543
9.2	Language-dependent strings in <code>babel</code> (English defaults)	547
9.3	Language-dependent strings in <code>babel</code> (French, Greek, Polish, Russian)	551
9.4	Different methods for representing numbers by letters	560
9.5	Alternative mathematical operators for Eastern European languages .	564
9.6	Glyph chart for a T2A-encoded font (<code>larm1000</code>)	572
9.7	Glyph chart for an LGR-encoded font (<code>grmn1000</code>)	575
9.8	Greek transliteration with Latin letters for the LGR encoding	576
9.9	LGR ligatures producing single-accented glyphs	576
9.10	Available composite spiritus and accent combinations	576
9.11	Glyph chart for an LHE-encoded font (<code>shold10</code>)	578
9.12	Hebrew font-changing commands	579
10.1	Overview of color and graphics capabilities of device drivers	615
10.2	Arguments of <code>\DeclareGraphicsRule</code>	626
10.3	Major options of the <code>dvips</code> program	638
11.1	Input style parameters for <code>MakeIndex</code>	660
11.2	Output style parameters for <code>MakeIndex</code>	661
11.3	Languages supported by <code>xindy</code>	670
11.4	<code>xindy</code> standard modules	672
12.1	Gender specification in <code>jurabib</code>	735
12.2	Comparison of packages for multiple bibliographies	746
13.1	<code>BBT_EX</code> 's entry types as defined in most styles	763
13.2	<code>BBT_EX</code> 's standard entry fields	765

13.3	Predefined journal strings in BibTeX styles	771
13.4	Selected BibTeX style files	791
13.5	Requirements for formatting names	798
13.6	Language support in custom-bib (summer 2003)	800
13.7	BibTeX style file commands	807
13.8	BibTeX style file built-in functions	808
14.1	Overview of doc package commands	820
A.1	L ^A T _E X's units of length	855
A.2	Predefined horizontal spaces	856
A.3	Predefined vertical spaces	857
A.4	Default values for T _E X's rule primitives	868
A.5	L ^A T _E X's internal \boolean switches	875
A.6	Commands for package and class files	879

Preface

A full decade has passed since the publication of the first edition of *The L^AT_EX Companion*—a decade during which some people prophesied the demise of T_EX and L^AT_EX and predicted that other software would take over the world. There have been a great many changes indeed, but neither prediction has come to pass: T_EX has not vanished and the interest in L^AT_EX has not declined, although the approach to both has gradually changed over time.

When we wrote the *Companion* in 1993 [55], we intended to describe what is usefully available in the L^AT_EX world (though ultimately we ended up describing what was available at CERN in those days). As an unintentional side effect, the first edition *defined* for most readers what should be available in a then-modern L^AT_EX distribution. Fortunately, most of the choices we made at that time proved to be reasonable, and the majority (albeit not all) of the packages described in the first edition are still in common use today. Thus, even though “the book shows its age, it still remains a solid reference in most parts”, as one reviewer put it recently.

Nevertheless, much has changed and a lot of new and exciting functionality has been added to L^AT_EX during the last decade. As a result, while revising the book we ended up rewriting 90% of the original content and adding about 600 additional pages describing impressive new developments.

What you are holding now is essentially a new book—a book that we hope preserves the positive aspects of the first edition even as it greatly enhances them, while at the same time avoiding the mistakes we made back then, both in content and presentation (though doubtless we made some others). For this book we used the CTAN archives as a basis and also went through the `comp.text.tex` news group archives to identify the most pressing questions and queries.

In addition to highlighting a good selection of the contributed packages available on the CTAN archives, the book describes many aspects of the basic \LaTeX system that are not fully covered in the *\LaTeX Manual*, Leslie Lamport's *\LaTeX : A Document Preparation System* [104]. Note, however, that our book is not a replacement for the *\LaTeX Manual* but rather a companion to it: a reader of our book is assumed to have read at least the first part of that book (or a comparable introductory work, such as the *Guide to \LaTeX* [101]) and to have some practical experience with producing \LaTeX documents.

The second edition has seen a major change in the authorship; Frank took over as principal author (so he is to blame for all the faults in this book) and several members of the \LaTeX 3 project team joined in the book's preparation, enriching it with their knowledge and experience in individual subject areas.

*Thanks to a great
guy!*

The preparation of the book was overshadowed by the sudden death of our good friend, colleague, and prospective co-author Michael Downes, whose great contributions to \LaTeX , and $\mathcal{A}\mathcal{M}\mathcal{S}$ - \LaTeX in particular, are well known to many people. We dedicate this book to him and his memory.

* * *

We first of all wish to thank Peter Gordon, our editor at Addison-Wesley, who not only made this book possible, but through his constant encouragement also kept us on the right track (just a few years late). When we finally went into production, Elizabeth Ryan was unfailingly patient with our idiosyncrasies and steered us safely to completion.

We are especially indebted to Barbara Beeton, David Rhead, Lars Hellström, and Walter Schmidt for their careful reading of individual parts of the manuscript. Their numerous comments, suggestions, corrections, and hints have substantially improved the quality of the text.

Our very special thanks go to our contributing authors Christine Detig and Joachim Schrod for their invaluable help with Chapter 11 on index preparation.

*Haunted package
authors*

Those who keep their ears to the ground for activities in the \LaTeX world may have noticed an increased number of new releases of several well-established packages in 2002 and 2003. Some of these releases were triggered by our questions and comments to the package authors as we were preparing the manuscript for this second edition. Almost all package authors responded favorably to our requests for updates, changes, and clarifications, and all spent a considerable amount of time helping us with our task. We would particularly like to thank Jens Berger (jurabib), Axel Sommerfeldt (caption), Steven Cochran (subfig), Melchior Franz (soul, euro), and Carsten Heinz (listings) who had to deal with the bulk of the nearly 6000 e-mail messages that have been exchanged with various package authors.

Heartily thanks for similar reasons go to Alexander Rozhenko (manyfoot), Bernd Schandl (paralist), David Kastrop (perpage), Donald Arseneau (cite, relsize, threeparttable, url), Fabrice Popineau (\TeX Live CD), Frank Bennett, Jr. (camel), Gerd Neugebauer (bibtool), Harald Harders (subfloat), Hideo Umeki

(geometry), Hubert Gäßlein (`sidecap,pict2e`), Javier Bezos (`titlesec, titletoc`), Jean-Pierre Drucbert (`minitoc`), Jeffrey Goldberg (`endfloat, lastpage`), John Lavagnino (`endnotes`), Markus Kohm (`typearea`), Martin Schröder (`ragged2e`), Matthias Eckermann (`parallel`), Michael Covington (`upquote`), Michel Bovani (`fourier`), Patrick Daly (`custom-bib, natbib`), Peter Heslin (`ellipsis`), Peter Wilson (`layouts`), Piet van Oostrum (`extramarks,fancyhdr`), Rei Fukui (`tipa`), Robin Fairbairns (`footmisc`), Rolf Niepraschk (`sidecap,pict2e`), Stephan Böttcher (`lineno`), Thomas Esser (`teTeX` distribution), Thomas Henlich (`marvosym`), Thorsten Hansen (`bibunits`), and Walter Schmidt (`fix-cm, PSNFSS`). Our apologies if we missed someone.

We gratefully recognize all of our many colleagues in the (L^A)T_EX world who developed the packages—not only those described here, but also the hundreds of others—that aim to help users meet the typesetting requirements for their documents. Without the continuous efforts of these enthusiasts, L^AT_EX would not be the magnificent and flexible tool it is today.

We would also like to thank Blenda Horn from Y&Y and Michael Vulis from MicroPress for supplying the fonts used to typeset the pages of this book.

The picture of Chris Rowley, taken after a good lunch at Kai Tek airport, Hong Kong, appears courtesy of Wai Wong. The picture of Michael Downes, taken at the T_EX 2000 conference, Oxford, appears courtesy of Alan Wetmore.

* * *

We would like to thank our families and friends for the support given during the preparation of this book—though this may sound like an alibi sentence to many, it never felt truer than with this book.

Chris would like to thank the Open University, United Kingdom, for supporting his work on L^AT_EX and the School of Computer Science and Engineering, University of New South Wales, for providing a most pleasant environment in which to complete his work on this book.

Frank Mittelbach
Michel Goossens
Johannes Braams
David Carlisle
Chris Rowley

February 2004