







As manufacturers of the world renowned EzyJamb door jamb systems, EZ Concept's openings and finishings products produce minimalistic flush finishes by eliminating trims and traditional timber systems for commercial, residential and industrial interiors.

EXPERIENCE EZCONCEPT

**Opening Products** 

**EzyJamb** 

Page 06 | The Flush Finish Door Jamb System

**Z** RocYork

Page 14 | Door Hardware

**J** CavKit

Page 18 | Pocket Door Trim Kit

**■** SlideSet

Page 20 | The Flush Finish Pocket Door Solution

**→** AccessDor

Page 22 | Smooth Wall to Access Panel Transitions

**Finishing Products** 

**EzyPelmet** 

Page 24 | Economical Recessed Window Pelmet Systems

**■ Z** EzyCap

Page 26 | Cased Opening and Wall End Solution

**▼** FastCap

Page 28 | Custom Finishing and Capping Made Easy

**EzyReveal** 

Page 30 | Premium Trim Free Window Reveals

**J** AluBase

Page 32 | Anodized Aluminium Base Board Trim




Clean lines, flush finish. The complete solution for modern interiors.

As manufacturers of the world renowned EzyJamb door jamb systems, EZ Concept's openings and finishings products produce minimalistic flush finishes by eliminating trims and traditional timber systems for commercial, residential and industrial interiors.

Explore our range of opening and finishing products.



**7**/ 4 5 |



## **Z** EzyJamb

#### EZC | Classic Adjust Door Frame

EzyJamb® Classic Adjust EZC is a split-type door jamb manufactured from cold rolled steel to produce a strong and secure assembly.

The EzyJamb EZC, comes with perforated sides for flush finishing which produces a contemporary flush finish door jamb with clean lines and inconspicuous detail.








Flush Interior

Rabbeted Exterior








**7** | 6 7 | 3/4





# **EzyJamb**SRC | Single Rabbet Door Frame

The premium design of the EzyJamb SRC provides a smooth transition from one side of the door jamb allowing a minimalistic sophistication in apartments, homes and commercial buildings.

This one-piece frameless door jamb is made custom to perfectly suit your wall thickness for a flush finish.









Single Piece Jamb


Flush Interior Finish





■ 8 9 | 🗾





## **Z** EzyJamb

#### ISD | Inswing Door Frame

EzyJamb® Inswing Door - ISD is the ultimate inswing door jamb system to achieve a seamless look in hallways and corridors.

The incorporation of reinforced edges overcomes the continual damage door jambs are subjected to by normal everyday use.








Single Piece Jamb

nb Rabbeted Interior Finish

or Flush Exterior Finish







## **Z** EzyJamb


### DRC | Double Rabbet Door Frame

The latest innovation in EzyJamb® Flush Finish Door Jambs, the Double Rabbet EzyJamb – DRC.

Allow for two doors to be hung in the fire-rated Jamb creating a modern look for interconnecting hotel rooms. The system is complemented by a range of hardware to suit different applications and includes options for single door hanging.
















## **Z** RocYork

#### **Concealed Door Hinges**

Make your door hinges disappear with the all new RocYork® concealed door hinge from EZ Concept.


This revolutionary architectural breakthrough will allow uninterrupted clean lines around internal doors for the ultimate square-set interior.













## **Z** RocYork

#### **Mortised Hinges**

Specially designed and manufactured to partner with the EzyJamb® door jamb systems, the loose pin RocYork® Mortised Hinges are surface mounted with self-tapping screws, making them easy to install.





## **Z** RocYork


#### Non-Mortised Hinges

Specially designed and manufactured to partner with the EzyJamb® door jamb systems, the loose pin RocYork® Non-Mortised Hinges are surface mounted with self-tapping screws, making them easy to install.

**7** | 14 15 | 🗾








## **Z** RocYork

#### No-Ha Invisible Handles

The RocYork® No-Ha 2.0 Slide recedes into the door panel and provides a hidden handle solution for EzyJamb swing doors and SlideSet sliding pocket doors. Unlike other handles the RocYork No Ha 2.0 Slide also slides into the wall cavity providing a premium aesthetic.

Available in MDF or brushed stainless steel. Supplied with EzyJamb swing doors.



## **Z** RocYork


#### **Concealed Closers**

These stylishly sleek - non-handed 2-4 power adjustable door closers are suitable for a variety of metal and timber doors for use in projects such as hospitals, care homes, schools, colleges and other high traffic-able areas.

When the door is closed these closers conceal themselves into between the door jamb and frame creating a modern look.

**7** 16 17 1





## **Z** CavKit

#### Cavity Trim Kit

CavKit is a flush finish system that trims and caps the drywall edges around the door penetration, to create a pocket door that can be hidden when open and provide privacy when closed, without the look of bulky trims. Designed to perfectly match the EzyJamb door jamb system for swing doors, the CavKit pocket door trim system allows you to create a consistent flush look across all of your interior doors.






Ready to Paint

Closer Options







## **J**⊿ SlideSet

#### Pocket Doors


The SlideSet Flush Finish Pocket Door System has been designed to provide the absolute minimum of detail giving the ability to completely conceal the door and give the impression that the door does not exist when open, and complete privacy when closed, adding a contemporary and architectural dimension to any project.






Preassemble Frame

Trimless D Frame





**₹** | 20 21 | **₹** 



## **AccessDor**

#### Bespoke Access Panels

Available as standard or bespoke solutions, AccessDor Access Panels are flush finished to the wall, with only a 1/8" reveal between the door and wall and a discrete cam latch to inconspicuously blend into its surroundings.

Available in standard sizes or bespoke solutions; AccessDor can be suited to your specification. Combine your AccessDor with concealed hinges and latches for the complete flush finish look.











Various Latch Options









**7** | 22 23 | 🗾









## **Z** EzyPelmet

### Two-Piece Pelmet System

EzyPelmet is a two piece, pre-finished cold-rolled steel section which provides a fast, economical and prestigious solution for creating recessed window pelmets in drywall ceilings.


It provides a simple and discrete transition between the interior ceiling and external windows, curtain wall facades or the building structure.






Two Piece Installation

Concealed Jo





# **EzyCap**Window and Wall End Capping


Cased openings or internal wall ends are made easy with EzyCap.

Save time on site with this durable solution that simply slides onto the end of the drywall to cap the wall end and doesn't require preparation to paint in with the rest of the wall.









## **▼** FastCap

### Custom rebates and capping

Inspired ceiling designs command attention using FastCap; this innovative solution easily inserts between two sections of drywall to make light work of difficult rebates, plasterboard profiles and large oversized shadowlines. Recessing feature lighting or hardware, custom finishing and capping of plasterboard is made easy with the FastCap range of custom made finishing sections.







Single Piece Capping


Custom Length











## **Z** EzyReveal

#### Window Reveals

Create a premium trim-free, square-set interior finish with EzyReveal®; the steel window reveal that eliminates the need for moldings and trims.


Using a metal reveal is more durable than timber, as it doesn't warp or crack over time, especially in sun-exposed areas.



Trimfree Windows

Variety of Widths






**3**1 | **3**∕2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**√2 | **3**1 | **3**1 | **3**√2 | **3**1 | **3**1 | **3**1 | **3**1 | **3**2 | **3**1 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3**2 | **3** 







## **J** AluBase

#### Aluminium Baseboards

AluBase® Baseboards are a modern alternative to traditional timber baseboards.

Providing a smooth flush finish that blends in with the rest of the EZ Concept range, designers can enjoy the benefit of eliminating the look of baseboards for a superior interior finish.





Wear Resilient


Simple Edg

**3**3 | **3**4 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3**5 | **3** 

### **Ordering Guide**

To request a quote with EZ Concept, visit www.ezconcept.com or email quotes@ezconcept.com for a request form. If you require assistance with placing an order, please call our team on 1888 399 5262.





Website Main Page

Quote Request Page



EzyJamb Quote Request Page

#### **Ordering Information and Conditions**

#### **Availability**

- All EzyJamb, CavKit and SlideSet products are made to order.
- Lead times apply to all EzyJamb, CavKit and SlideSet orders. Typical lead time from date of order to date of delivery is 15-20 working days. Longer lead times may apply in some cases. Always confirm lead time with EZ Concept prior to placing order.
- All orders are accepted by EZ Concept on a FIFO (first in, first out). For urgent orders, pleaser refer to the point below.


#### **Expedited Orders**

- For urgent orders, manufacturing processes can be expedited on request. Expedited orders can be dispatched within 7-10 working days from receipt of order.

  A minimum charge of \$150 or 40% of total order cost, whichever is greater, is applicable to expedited orders.
- Expedition of EzyJamb, CavKit and SlideSet orders is not always possible and is subject to operational requirements. Always confirm exact lead time with EZ Concept prior to placing order.

Notes		

**J**⊿ | 34 | 35 | **J**⊿



#### For Sales and Technical Enquiries, please contact EZ Concept USA.

T: 1888 399 5262

W: www.ezconcept.com

E: sales@ezconcept.com

Head Office - Rochester 1700 Boulter Industrial Parkway, Webster, NY 14580 Los Angeles Office 5450 W 83rd Street Los Angeles, CA 90045

