References and Bibliography

Overarching Reference Used for All Care Guides

Australian National Health and Medical Research Council. (2006). Guidelines for a palliative approach to residential aged care.

Retrieved 9 February 2009, from www.nhmrc.gov.au/publications/synopses/ac12to14syn.htm

Advanced Care Planning and Enduring Power Of Attorney

Age Concern (2008). What happens if you can no longer make decisions? Why you need an enduring power of attorney.

Retrieved 2 January 2012, from http://www.ageconcern.org.nz/money/planning/enduring-power-attorney

Caplan, G.A., Meller, A., Squires, B., Chan, S., Willett, W. (2006). Advanced care planning and hospital in the nursing home. Age and Ageing, 35 (6), 581-585.

Clarnette, Ř., & Molloy, W. (2006). Let me decide: The health and personal care directive that speaks for you when you can't. Melbourne: Penguin, Australia.

Clayton, J. M., Hancock, K.M., Butow, P.N., Tattersall, M.H.N., & Currow, D.C. (2007). Clinical practice guidelines for communicating prognosis and end of life issues with adults in the advanced stages of a life-limiting illness, and their caregivers. *Medical Journal Australia* 186 (12 Suppl.), S77-S108. http://palcare.streamliners.co.nz/australian_endofilife.pdf

Ministry of Justice (2002). Form of enduring power of altorney in relation to personal care and welfare. Retrieved 2 January 2012, from http://www.justice.govt.nz/family-court/forms/list-of-forms/forms-for-proceedings-under-protection-of-personal and-property-rights-act-1988

Molloy, W. Let me decide health and personal care directive New South Wales version. (n.d.) Retrieved 2 January 2012, from http://www.wagpnetwork.com.au/client_images/177702.pdf

New South Wales Dept. of Health (2008). *Guidelines for end-of-life care and decision-making, and using advance care directives*. Retrieved 2 January, 2012, from http://www.health.nsw.gov.au/policies/gl/2005/GL2005 057.html

New Zealand Law Society (2008). Powers of attorney. Retrieved 28 December 2011, from http://www.lawsociety.org.nz/__data/assets/pdf_file/0009/3105/48354_Powers_of_attorney_September.pdf

Advanced Care Planning: A guide for the New Zealand health care workforce. New Zealand Ministry of Health: Wellington, New Zealand. Retrieved 26 March 2012, from http://www.moh.govt.nz/moh.nsf/files/workforce/\$file/advance-care-planning-aug11.pdf.

Cardiac

National Clinical Guideline Centre (2010). Chronic Heart Failure. National clinical guideline for diagnosis and management in primary and secondary care. Retrieved 25 January 2012, from http://www.nice.org.uk/nicemedia/live/13099/50514/50514.pdf

The Cardiac Society of Australia & New Zealand (2009. *The New Zealand Guideline for the management of heart failure*. Retrieved 25 January 2012, from

http://www.heartfoundation.org.nz/uploads/Guideline-Management-Chronic-Heart-Failure-5.pdf

New Zealand medicines & Medical Devices Safety Authority (2010). *Glytrin Spray. Glyceryl trinitrate 400 mcg/metered dose.*Retrieved 25 January 2012, from http://www.medsafe.govt.nz/profs/datasheet/n/nitrolingualpumpspray.htm

Constipation & Gastro-intestinal

Joanna Briggs Institute (2008). Management of constipation in older adults. Best Practice Information Sheets for Health Professionals. 12(7), 1-4. Retrieved 5 January 2012, from http://connect.jbiconnectplus.org/viewsourcefile.aspx?0=453.

Lewis, S.J., & Heaton, K.W. (1997). Stool form scale as a useful guide to intestinal transit time. Scandinavian Journal of Gastroenterology 32(9):920-4

Registered Nurses Association of Ontario. (2005). Prevention of constipation in the older adult population. Retrieved 5 January 2012, from http://rnao.org/storage/11/610 BPG Prevent Constipation rev05.pdf.

Rehabilitation Foundation (2002). Practice Guidelines for the management of constipation in adults. Retrieved 5 January 2012, from http://www.rehabnurse.org/pdf/bowelguideforWEB.pdf.

Delirium

Australian Health Ministers' Advisory Council (2006). Clinical practice guidelines for the management of delirium in older people.

Retrieved 9 February 2012, from http://docs.health.vic.gov.au/docs/doc/A9F4D074829CD75ACA25785200120044/\$FILE/delirium-cpq.pdf

Inouye, S., Van Dyck, C., Alessi, C., Balkin, S., Siegal, A., & Horwitz, R. (1990). Clarifying confusion: The confusion assessment method. New methods for detection of delirium. *Annals of Internal Medicine*, 113(12) 941-948.

O'Keefe, S.T., & Ni Chonchubhair, A. (1994) Postoperative delirium in the elderly. British Journal of Anaesthesia, 73, 673-687.

Delirium continued...

Waitemata District Health Board (2010). Delirium management. In: Clinical Practices Manual. North Shore City: Waitemata District Health Board.

Delirium: diagnosis, prevention & management. Clinical Guideline 103 (2010) National Institute for Health & Clinical Excellence. Retrieved 6 April 2012, from http://www.nice.org.ujk/nicemedia/live/13060/49908/49908.pdf

Australia Government Department of Health & Aging. Delirium care pathways. Retrieved 5 April 2012, from http://www.health.gov.au/ internet/main/publishing.nsf/ContentDelirium-Care-Pathways

Dementia

American Academy of Neurology. (2008). *Detection, diagnosis and management of dementia*. Retrieved 21 January 2012, from http://www.aan.com/professionals/practice/pdfs/dementia quideline.pdf

Foreman, M. (1987). Reliability and validity of mental status questionnaires in elderly hospitalized patients. *Nursing Research*, 36(4), 216-219.

Hodkinson, H.M. (1972). Evaluation of a mental test score for assessment of mental impairment in the elderly. *Age & Ageing*, 1(4), 233-8

NSW Government Health: Working with people with challenging behaviours in residential aged care facilities. Retrieved 21 January 2012, from http://www.health.nsw.gov.au/policies/gl/2006/pdf/GL2006 014.pdf

Depression

Alexopoulos, G.S., Abrams, R.C., Young, R.C., & Shamoian, C.A. (1988). Cornell scale for depression in dementia. *Biological Psychiatry*, 23(3), 271-284. http://www.nhmrc.gov.au/publications/synopses/_files/pc29.pdf

Burrougns, H. (2008). Depression in older adults: collaborative care model seems effective. Evidence-based mental health, 11, 44. National Health & Medical Research Council (2006).

Best Practice Advocacy Centre Inc (2011). Assessment and management of depression in older adults. Best Practice Journal Special Edition: Depression in older adults. Retrieved 21 January 2012, from http://www.bpac.org.nz/magasine/2011/elderlydep/docs/bpjse_elderly_depression_2011.pdf

Best Practise Advocacy Centre Inc (2011). Depression in elderly people in best practice; Dilemmas in prescribing for elderly people. Retrieved 21 January 2012, from http://www.bpac.org.nz/magasine/2008/february/contents.asp

NIH Consensus Development Panel. (1992). Diagnosis and treatment of depression in late life. JAMA, 268, 1018-1024.

NSW Health. (2001). Consensus guidelines for the assessment and management of depression in the elderly. Retrieved 21 January 2012, from http://www.health.nsw.gov.au/policy/cmh/publications/depression_elderly.pdf

American Psychiatric Association (2000). Diagnostic and statistical manual of mental disorders, 4th edition, text revision (DSM-IV-TR) Arlington, Virginia: American Psychiatric Association

Yesavage, J.A., Brink, T.L., Rose, T.L., Lum, O., Huang, V., Adey, M.B., & Leirer, V.O. (1983). Development and validation of a geriatric depression screening scale: A preliminary report. *Journal of Psychiatric Research*, 17, 37-49.

Diabetes

Kitabchi, A.E., Haerian, H., & Rose, B.D. (2010). Clinical features and diagnosis of diabetic ketoacidosis and hyperosmolar hyperglycemic state in adults. Up To Date, 29, 1150, retrieved 28 Dec 2011 from http://www.uptodate.com/contents/search. McCulloch, D.K. (2007). Management of hypoglycemia during treatment of diabetes mellitus. Retrieved 28 December 2011, from http://www.uptodate.com/patients/content/topic.do?topicKey=~ieuZn1qdqX5Kbu

New Zealand Guidelines Group. Guidance on the management of type 2 diabetes 2011. Wellington: New Zealand Guidelines Group; 2011. Retrieved 28 December 2011, from http://www.nzgg.org.nz/library_resources/16_diabetes_guidance_document.

Waitemata District Health Board. (2011). Diabetes - diabetic ketoacidosis (DKA) treatment guidelines. In: Clinical Practices Manual. North Shore City: Waitemata District Health Board.

Waitemata District Health Board. (2011). Diabetes - hyperosmolar non ketotic (HONK) guidelines. In: Clinical Practices Manual. North Shore City: Waitemata District Health Board.

Waitemata District Health Board. (2011). Diabetes - hypoglycaemia. In: Clinical Practices Manual. North Shore City: Waitemata District Health Board.

End of Life Care

Ellershaw, J., & Ward, C. (2003). Care of the dying patient: The last hours or days of life. BMJ, 326, 30-34. Lothian Palliative Care Guidelines Group. (2004). Lothian palliative care guidelines (Pocket ed.). Scotland: NHS Lothian.

MacLeod, A. D., MacLeod, R., & Vella-Brincat, J. (2006). The palliative care handbook. Incorporating the Nurse Maude palliative care formulary. Guidelines for clinical management and symptom control (3rd ed.). Christchurch, New Zealand: The Caxton Press.

National Health and Medical Research Council. (2006). Guidelines for a palliative approach in residential aged care. Enhanced version – May 2006. Australia: National Health and Medical Research Council. Retrieved 9 January 2012, from http://www.nhmrc.gov.au/publications/synopses/_files/pc29.pdf

Falls

Agostini JV, Baker DI, Bogardus ST. Prevention of falls in hopitalized and institutionalized older people: *The Agency for Healthcare Research and Quality; 2001.*

Accident Compensation Corporation. (2010). Falls Prevention Strategy retrieved 29 December 2011, from http://acc.co.nz/preventing-injuries/injury-prevention-strategies/pi00132

Australian Commission on safety and quality in healthcare. (2009). Preventing falls and harm from falls in older people – best practice guidelines for Australian hospitals and residential aged care facilities. Retrieved 29 December 2011, from http://www.health.gov.au/internet/safety/publishing.nsf/content/fallsquidelines-austracf.

National Guideline Clearing House (2005). Prevention of falls in long term care facilities. Retrieved 29 December 2011, from http://www.quidelinecentral.com/ webapp 1825386prevention of falls in long-term care facilities

Zhang, Z., (2007) Vitamin D supplementation for fracture prevention in older people, Evidence Based Healthcare Advisory Group, *Accident Compensation Corporation* retrieved 29 December 2011, from http://www.acc.co.nz/search-results/ index.htm?UserText=vitamin+D

Fracture and Contracture

Bollard, M., Avenell, A., Baron, J.A., Grey A., MacLennan, F.S., Gamble, GD., & Reid, IR (2010). Effect of calcium supplements on risk of myocardial infarction and cardiovascular events: meta-analysis.

341:3691. Retrieved 10 January 2012, from http://www.bnj.com/content/341/bmj.c3691.full

Stevens, J.A., Ryan, G., Kresnow, M. (2006). Fatalities and injuries from falls among older adults – United States, 1993-2003 and 2001-2005. Centres for Disease Control & Prevention (CSC). 55(45):1221-1224. Retrieved 15 January 2012, from http://www.medscape.com/viewarticle/549158

The American Geriatrics Society (2010). AGS/BGS Clinical Practice Guideline: *Prevention of falls in older person*. Summary of recommendations. Retrieved 14 January 2012, from <a href="http://www.americangeriatrics.org/health-care-professionals/clinical-guidelines-recommendations/prevention-of-falls-summary-of-recommendations-prevention-of-falls-summary-of

The American Geriatrics Society (2010). AGS/BGS Clinical Practice Guideline: Prevention of falls in older person. Summary of recommendations. Retrieved 14 January 2012, from <a href="http://www.americangeriatrics.org/health-care-professionals/clinical-practice/clinical-guidelines-recommendations/prevention-of-falls-summary-of-recommendations/prevention-of-falls-summary-of-recommendations/

The American Geriatrics Society (2010). AGS/BGS Clinical Practice Guideline: Prevention of falls in older person. Summary of recommendations. Retrieved 14 January 2012 from http://www.medcats.com/FALLS/frameset.htm

New Zealand Guidelines Group. (2003). Prevention of hip fractures amongst people 65 years old and older. Retrieved 14 January 2012, from http://www.nzgg.org.nz/resources/177/hip fracture prevention fulltext.pdf

Merck, Sharp & Dohme (NZ)Ltd (2010). Fosamax Plus. Retrieved 10 January 2012, from http://medsafe.govt.nz/consumers/cmi/fi/fosamax-plus.pdf

National Health and Medical Research Council (2006). Guidelines for a palliative approach in residential aged care. Enhanced version – May 2006. Australia: National Health and Medical Research Council. Retrieved 18 July 2011, from http://www.nhmrc.gov.au/publications/synopses/ files/pc29.pdf

Stevens, J.A., Ryan, G., Kresnow, M., (2006). Fatalities and injuries from falls among older adults - United States, 1993-2003

Nutrition and hydration

Joanna Briggs Institute for Evidence Based Nursing and Midwifery. (2001). Maintaining oral hydration in older people. Best Practice, 5(1), 1-6.

Kondrup, J., et al. (2003). ESPEN guidelines for nutrition screening. Clinical Nutrition, 22(4), 415-421. http://www.healthed.govt.nz/uploads/docs/he1145.pdf

Malnutrition Universal Screening tool http://www.bapen.org.uk/pdfs/must/must_full.pdf

Malnutrition Advisory Group & Standing Committee of BAPEN: Malnutrition screening tool http://www.bapen.org.uk/ musttoolkit.html

Ministry of Health (2010) Food and Nutrition Guidelines for Healthy Older People. A background paper. Wellington: New Zealand.

Retrieved 10 January 2012, from http://health.govt.nz.publication/food-and-nutrition-guidelines-healthy-older-people-background-paper.

National Health and Medical Research Council. (2006). Guidelines for a palliative approach in residential aged care. Enhanced version – May 2006. Australia: *National Health and Medical Research Council*. Retrieved 10 January 2012, from http://www.nhmrc.gov.au/publications/synopses/ files/pc29.pdf

Thomas D., et al. (2000). Nutritional management in long term care: Development of a clinical guideline. *Journal of Gerontology*, 55A(12), 725-734.

Water U.K. (2005). Water for healthy aging. Hydration best practice tool kit for care homes. Retrieved 10 January 2012, from http://www.water.org.uk/home/water-for-health/older-people/care-homes-toolkit

Pain

Australian Pain Society. (2005). Pain in residential aged care facilities. *Management strategies*. Retrieved 10 January 2009, from http://www.apsoc.org.au/owner/files/9e2c2n.pdf

Bajwa, S.H. & Smith, H.S., (2011). Overview of the treatment of chronic pain in Up to Date. Retrieved 11 November 2011, from http://www.uptodate.com/contents/overview-of-the-treatment-of-chronic-pain.

Best Practice Advocacy Centre Inc (2008), Pharmacological management of chronic pain. *Best Practice Journal*. Retrieved 21 January 2012, from http://www.bpac.org.nz/magazine/2008.september/chronic.asp

Budassi-Sheehy, Emergency Nursing, Principles and Practice 3rd Ed. 1992.

Hutt, E., Buffam, M.D., Fink, R., Jones, K.R., & Pepper, G.A. (2007). Optimizing pain management in long-term care residents. Geriatrics Aging, 10(8), 523-527.

National Health and Medical Research Council (2006). Guidelines for a palliative approach in residential aged care. Enhanced version: May 2006. Australia: National Health and Medical Research Council. Retrieved: 10 January 2012, from http://www.nhmrc.gov.au/publications/synopses/ files/pc29.pdf

Respiratory

Booth, S., Anderson, H., Swannick, M., Wade, R., Kite, S., Johnson, M. (2004). The use of oxygen in the palliation of breathlessness. A report of the expert working group of the scientific committee of the association of palliative medicine. *Respiratory Medicine*, *98*, *66-77*.

Hutt, E., Kramer, A.M. (2002). Evidence-based guidelines for management of nursing home-acquired pneumonia. *The Journal of Family Practice*, *51*(8).

Loeb, M., Carusone, S. C., Goeree, R., Walter, S. D., Brazil, K., Krueger, P., Simor, A. Moss, L., Marrie, T. (2006). Effect of a clinical pathway to reduce hospitalizations in nursing home residents with pneumonia: A randomized controlled trial. *JAMA*, 295(21), 2503-2509.

National Collaborating Centre for Chronic Conditions. (2004). Chronic obstructive pulmonary disease. National clinical guideline on management of chronic pulmonary disease in adults in primary and secondary care. Retrieved 9 January 2012, from http://nice.org.uk/nicemedia/pdf/CG012_niceguideline.pdf

Registered Nurses Association of Ontario. (2005). *Nursing care of dyspnea: the 6th vital sign in individuals with chronic obstructive pulmonary disease (COPD)*. Retrieved 9 January 2012, from http://www.rnao.org/bestpractices/PDF/BPG_COPD.pdf
Wing, S. (2004). Pleural effusion: Nursing care challenge in the elderly. *Geriatric Nursing*, 25, 348-54.

Skin

Australian Wound Management Association. (2002). Standards for wound management. West Leederville, WA: Cambridge. Kemp, M.G. (1994). Protecting skin from moisture and associated irritants. *Journal of Gerontological Nursing*, 20(9), 9. National Institute of Arthritis & Musculoskeletal & Skin Diseases (NIAMS). Information clearinghouse, *National Institute of Health*. http://www.niams.nih.gov/

Australia Wound Management Association Inc. and the New Zealand Wound Care Society Inc. (2011) Australian and New Zealand Clinical Practice Guideline for Prevention and Management of Venous Leg Ulcers retrieved on 30 March 2012, from http://www.awma.com.au/publications/2011 awma vlug.pdf

Norman, D. (2004). The effects of age related skin changes on wound healing rates. Journal of Wound Care, 13(5), 199-201.

Omar, M.H. (2006). Common skin disorders in the elderly. South African Family Practice Journal 45(5), 29-34.

Rolstad, S., Rolstad, B., (2000) Skin at risk [poster]. USA: Hollister.

Sibbard, G.S., Campbell, K., & Coutts, P. (2003). Intact skin – an integrity not to be lost. *Journal of ostomy/wound management,* 49(6), 27-41.

Squibb, E.R. & Sons. (1998) Solutions in long term care. Skillman, NJ: Convatec.

Vowden, P. (2001). *Doppler assessment and ABPI: Interpretation in the management of leg ulceration*. Retrieved 9 February 2009, from http://www.worldwidewounds.com/2001/march/Vowden/Doppler-assessment-and-ABPI.html

Syncope/ Collapse

Fitzpatrick, A.P.. Cooper, P, (2006). Diagnosis and management of patients with blackouts. *British Medical Journal*, 26(92), 559-568.

Reed, M.J., Gray, A., (2006). Collapse query cause: the management of adult syncope in the emergency department. *Emergency Medicine*, 26,589-594.

The Task Force for the Diagnosis and Management of Syncope of the European Society of Cardiology (ESC). Guidelines for the diagnosis and management of Syncope (version 2009). *European Heart Journal*, 30, 2631-2671.

Travers, A. H., et al. (2010). CPR overview: 2010 American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. Circulation,(122), 676-684.

Urinary Incontinence

Frantz, R.A., Xakellis, G.C., Jr., Harvey, P.C., & Lewis, A.R. (2003). Implementing an incontinence management protocol in long-term care. Clinical outcomes and costs. *Journal of Gerontological Nursing*, 29(8), 46-53.

National Collaborating Centre for Women's and Children's Health. (2006). Urinary incontinence: the management of urinary incontinence in women. Retrieved 15 January 2012, from http://www.nice.org.uk/nicemedia/pdf/CG40fullquideline.pdf

Casey, G. (2011). Incontinence and retention – how the bladder misfunctions. Kai Tiaki Nursing New Zealand. 17(9), 26-31.

Du Moulin M.F., Hamers, J.P, Ambergen A.W., Halfens, R.J., (2009). Urinary incontinence in older adults receiving home care: diagnosis and strategies. *Scandinavian Journal of Caring Sciences*. 23(2), 222-30.

Urinary Tract Infections

Gray, M., & Krissovich, M. (2003). Does fluid intake influence the risk for urinary incontinence, urinary tract infection, and bladder cancer? *Journal of Wound, Ostomy, & Continence Nursing*, 30(3), 126-131.

Juthani-Mehta, M. (2007). Asymptomatic bacteriuria and urinary tract infection in older adults. Clinics in Geriatric Medicine, 23(3), 585-594.

Loeb, M., Bentley, D. W., Bradley, S., Crossley, K., Garibaldi, R., Gantz, N., et al. (2001). Development of minimum criteria for the initiation of antibiotics in residents of long-term-care facilities: results of a consensus conference. *Infection Control & Hospital Epidemiology*, 22(2), 120-124.

McGeer, A.., Campbell, B., Emori, T. G., Hierholzer, W. J., Jackson, M. M., Nicolle, L. E., et al. (1991). Definitions of infection for surveillance in long-term care facilities. *American Journal of Infection Control*, 19(1), 1-7.

Nicolle, L. E. (2000). Infection control in long-term care facilities. Clinical Infectious Diseases, 31(3), 752-756.

Jepson, R.C. Craig, J.C. (2009) Cranberries for preventing urinary tract infections (Review) The Cochrane Library 4,1-30.

Gray, M., & Krissovich, M. (2003) Does the fluid intake influence the risk for urinary incontinence, urinary tract infection and bladder cancer? *Journal of Wound, Ostomy & Continence Nursing*, 30 (3), 126-131.

NOTES